




British Columbia CDA Project

Summary of DECOR information

Implementation Guideline (Publication for scenario)

Version as of 2017-03-09 18:03:50

PDF extract as of 2017-03-31 19:22:06

 Publication for scenario

Medical Imaging Report

Licenses

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

See <http://www.gnu.org/licenses/gpl.html>

The contents of this specification may be subject to other copyright and trademark laws and licensing regulations which are not specified here.

Disclaimer

The content of this publication has been carefully prepared and reviewed. However, HL7 British Columbia CDA WG does not guarantee the accuracy, completeness or quality of the information provided, or that it is up-to-date. Liability claims against HL7 British Columbia CDA WG in respect of material or immaterial damage caused by the use or non-use of the information offered or by inaccurate or incomplete information are in principle ruled out provided that there is no provable culpable intent or gross negligence on the institute's part.

Table of Contents

1 Project Information	6
1.1 Project	6
1.1.1 Additional project information	6
1.1.2 Version Info	6
2 Scenarios	8
2.1 Medical Imaging Report 2016-10-08 20:07:38	8
3 Identifiers	9
3.1 Identifiers	9
3.1.1 DICOM UID 1.2.840.10008.2.6.1	9
3.1.2 DICOM Controlled Terminology 1.2.840.10008.2.16.4	9
3.1.3 pan-Canadian LOINC ® Observation Code Database 2.16.840.1.113883.2.20.5.1	9
3.1.4 Administrative Gender 2.16.840.1.113883.5.1	9
3.1.5 Act Code 2.16.840.1.113883.5.4	9
3.1.6 Act Priority 2.16.840.1.113883.5.7	9
3.1.7 Act Reason 2.16.840.1.113883.5.8	9
3.1.8 ActStatus 2.16.840.1.113883.5.14	10
3.1.9 Address Part Type 2.16.840.1.113883.5.16	10
3.1.10 Acknowledgement Type 2.16.840.1.113883.5.18	10
3.1.11 Confidentiality 2.16.840.1.113883.5.25	10
3.1.12 Entity Name Part Qualifier 2.16.840.1.113883.5.43	10
3.1.13 Entity Name Part Type 2.16.840.1.113883.5.44	10
3.1.14 Entity Name Use 2.16.840.1.113883.5.45	10
3.1.15 Observation Interpretation 2.16.840.1.113883.5.83	10
3.1.16 Participation Function 2.16.840.1.113883.5.88	11
3.1.17 Processing ID 2.16.840.1.113883.5.100	11
3.1.18 Role Code 2.16.840.1.113883.5.111	11
3.1.19 Sequencing 2.16.840.1.113883.5.113	11
3.1.20 UnitsOfMeasure 2.16.840.1.113883.5.141	11
3.1.21 Universal Resource Locator Scheme 2.16.840.1.113883.5.143	11
3.1.22 Act Mood 2.16.840.1.113883.5.1001	11
3.1.23 Null Flavor 2.16.840.1.113883.5.1008	11
3.1.24 TelecommunicationAddressUse 2.16.840.1.113883.5.1011	12
3.1.25 PostalAddressUse 2.16.840.1.113883.5.1012	12
3.1.26 Acknowledgement Condition 2.16.840.1.113883.5.1050	12
3.1.27 Observation Value 2.16.840.1.113883.5.1063	12

3.1.28 QueryQuantityUnit 2.16.840.1.113883.5.1066	12
3.1.29 QueryResponse 2.16.840.1.113883.5.1067	12
3.1.30 AcknowledgementDetailType 2.16.840.1.113883.5.1082	12
3.1.31 Message Waiting Priority 2.16.840.1.113883.5.1083	12
3.1.32 Query Parameter Value 2.16.840.1.113883.5.1096	13
3.1.33 Acknowledgement Detail Code 2.16.840.1.113883.5.1100	13
3.1.34 Logical Observation Identifier Names and Codes 2.16.840.1.113883.6.1	13
3.1.35 ICD10 2.16.840.1.113883.6.3	13
3.1.36 ResponseMode 2.16.840.1.113883.11.19650	13
3.1.37 HL7 version 2.x Quantity limited request used in chapter(s) 5; HL7 table 0126 2.16.840.1.113883.12.126	13
3.2 List of Template Identifiers used in this project	13
3.3 List of Value Set Identifiers used in this project	15
4 Templates	16
4.1 Templates with direct association to a transaction	16
4.1.1 BC CDA ClinicalDocumentMedicalImaging 2.16.840.1.113883.3.51.60.2.5.1 - 2016-10-09 02:16:30	16
4.2 Templates	38
4.2.1 BC CDA Device 2.16.840.1.113883.3.51.60.1.21 - 2016-04-03 21:15:27 ref (from repository: bccdae2e-).....	39
4.2.2 BC CDA primarycarephysician 2.16.840.1.113883.3.51.60.1.9.1 - 2016-08-24 12:30:58 ref (from repository: bccdae2e-).....	40
4.2.3 BC CDA recordTarget 2.16.840.1.113883.3.51.60.1.3 - 2016-06-02 05:46:51 ref (from repository: bccdae2e-).....	42
4.2.4 BC CDA relatedDocument 2.16.840.1.113883.3.51.60.1.13 - 2016-04-03 18:42:44 ref (from repository: bccdae2e-).....	44
4.2.5 BC CDA Person 2.16.840.1.113883.3.51.60.1.5.2 - 2016-04-01 08:37:50 ref (from repository: bccdae2e-).....	46
4.2.6 BC MI Findings Section 2.16.840.1.113883.10.20.6.1.2.1 - 2016-12-15 06:29:44 (1.1) ...	48
4.2.7 BC CDA authenticator 2.16.840.1.113883.3.51.60.1.8 - 2016-03-23 21:26:07 ref (from repository: bccdae2e-).....	50
4.2.8 CDA AssignedEntity 2.16.840.1.113883.10.12.153 - 2005-09-07 ref (from repository: ad1bbr-).....	51
4.2.9 BC CDA assignedEntity 2.16.840.1.113883.3.51.60.1.7.1 - 2016-03-27 08:59:41 ref (from repository: bccdae2e-).....	53
4.2.10 CDA Organization 2.16.840.1.113883.10.12.151 - 2005-09-07 ref (from repository: ad1bbr-).....	54
4.2.11 BC CDA Organization 2.16.840.1.113883.3.51.60.1.5.1 - 2016-04-03 01:53:40 ref (from repository: bccdae2e-).....	56

4.2.12 CDA Person 2.16.840.1.113883.10.12.152 - 2005-09-07 ref (from repository: ad1bbr-).....	57
4.2.13 BC CDA author 2.16.840.1.113883.3.51.60.1.4 - 2016-03-24 21:39:22 ref (from repository: bccdae2e-).....	58
4.2.14 BC CDA componentOf 2.16.840.1.113883.3.51.60.1.11 - 2016-03-27 09:09:45 ref (from repository: bccdae2e-).....	61
4.2.15 BC CDA custodian 2.16.840.1.113883.3.51.60.1.6 - 2016-03-24 21:59:04 ref (from repository: bccdae2e-).....	63
4.2.16 BC CDA dataEnterer 2.16.840.1.113883.3.51.60.1.7 - 2016-03-26 17:50:21 ref (from repository: bccdae2e-).....	64
4.2.17 BC CDA documentationOf 2.16.840.1.113883.3.51.60.1.10 - 2016-03-27 09:05:07 ref (from repository: bccdae2e-).....	65
4.2.18 BC CDA inFulfillmentOf 2.16.840.1.113883.3.51.60.1.12 - 2016-03-27 09:03:45 ref (from repository: bccdae2e-).....	67
4.2.19 BC CDA informationRecipient 2.16.840.1.113883.3.51.60.1.5 - 2016-03-24 21:50:27 ref (from repository: bccdae2e-).....	68
4.2.20 Clinical Presentation Section 2.16.840.1.113883.3.1937.99.61.26.10.44 - 2016-12-17 06:21:40 (2.1)	71
4.2.21 Code Observations 2.16.840.1.113883.10.20.6.2.13 - 2016-12-15 06:10:04 (2.1)	72
4.2.22 Complications Section 2.16.840.1.113883.10.20.22.2.37 - 2016-10-09 02:01:42 (1.1) ..	74
4.2.23 Fetus Subject Context 2.16.840.1.113883.3.1937.99.61.26.10.41 - 2016-12-13 06:22:23 (2.1)	76
4.2.24 Key Images Section 2.16.840.1.113883.3.1937.99.61.26.10.45 - 2016-12-17 06:23:36 (2.1)	77
4.2.25 Medical (General) History Section 2.16.840.1.113883.10.20.22.2.39 - 2016-10-09 02:22:53 (1.1)	78
4.2.26 Observer Context 2.16.840.1.113883.3.1937.99.61.26.10.42 - 2016-12-13 06:23:10 (2.1)	80
4.2.27 Quantity Measurement Observation 2.16.840.1.113883.10.20.6.2.14 - 2016-12-15 06:11:48 (2.1)	81
4.2.28 Radiology Reason for Study Section 2.16.840.1.113883.3.1937.99.61.26.10.43 - 2016-12-17 06:18:21 (2.1)	83
4.2.29 SOP Instance Observation 2.16.840.1.113883.10.20.6.2.8 - 2016-12-15 06:20:29 (2.1) ..	84
4.2.30 Text Observation 2.16.840.1.113883.10.20.6.2.12 - 2016-12-15 06:13:27 (2.1)	88
5 Publication for scenario	91

1 Project Information

1.1 Project

The **British Columbia Ministry of Health CDA WG Project** for province wide document templates.

For learning and testing please use the *Sandbox Canada British Columbia* project - <https://art-decor.org/art-decor/decor-project--cagovbc->

1.1.1 Additional project information

Properties	
Prefix: bccdapilot-	Default language: en-US
Publication location	Project overview
http://bccda.art-decor.org/	Project index
Disclaimer	
<p>The content of this publication has been carefully prepared and reviewed. However, HL7 British Columbia CDA WG does not guarantee the accuracy, completeness or quality of the information provided, or that it is up-to-date. Liability claims against HL7 British Columbia CDA WG in respect of material or immaterial damage caused by the use or non-use of the information offered or by inaccurate or incomplete information are in principle ruled out provided that there is no provable culpable intent or gross negligence on the institute's part.</p>	
List of Authors	
<ul style="list-style-type: none"> ▪ Administrator ▪ Shamil Nizamov ▪ Don Langlois ▪ Dennis Cabel ▪ Cindie Robertson ▪ Robert Conway ▪ Lorraine Constable ▪ Oliver Thompson ▪ Sophia Buyyer ▪ Arthur Lin ▪ Tracy Zhou ▪ Tony Mitchell ▪ Patrick Loyd ▪ dr Kai U. Heitmann ▪ Alexander Henket ▪ Lipi Goswami ▪ BC demo 	

1.1.2 Version Info

Date	By	Description
2017-03-09 18:03:50	Lorraine Constable	Official Release: 1.2 Republish with context overrides


2017-02-28 22:59:27	Lorraine Constable	There have been no changes to issues since the last intermediate version or release. Test fixes to publication permissions
2017-02-11 08:58:22	Dr. Kai Heitmann	Official Release: v1.1 Release including Medical Imaging Document Template
2017-01-14 17:44:48	Dr. Kai Heitmann	Official Release: v1.01 Test
2017-01-11 19:34:31	Lorraine Constable	Validation run in advance of publication
2016-12-31 01:50:49	Lorraine Constable	Re-running MI validation
2016-12-18 00:42:07	Lorraine Constable	re-running initial validation for medical imaging
2016-12-17 23:36:45	Lorraine Constable	Initial validation run that includes Medical Imaging
2016-10-28 22:06:46	Lorraine Constable	Official Release: 1.0 Initial Release of base CDA document template, Unstructured Document Template and Laboratory Report Template. Based on Release 4.0 of BC CDA Implementation Guide
2016-10-26 01:45:24	Lorraine Constable	final check
2016-10-20 21:48:05	Lorraine Constable	Intermediate publication validation
2016-10-20 00:07:37	Lorraine Constable	verify oid entries
2016-10-08 20:11:51	Lorraine Constable	add medical imaging and base documents for review
2016-10-04 01:59:15	Lorraine Constable	test addition of unstructured document scenario
2016-09-08 06:07:50	Lorraine Constable	testing updated reference generation
2016-08-31 23:46:57	Lorraine Constable	testing updated custodian references
2016-04-30 02:15:00	Lorraine Constable	Post pilot test version 2 - conformance references
2016-04-11 23:31:45	Lorraine Constable	Post pilot validation publication
2016-04-02 16:34:55	dr Kai U. Heitmann	Official Release intermediate publication test

2 Scenarios

2.1 Medical Imaging Report 2016-10-08 20:07:38

Stationary scenario for generation of Medical Imaging report

□

 Medical Imaging Report

[bccdapilot-scenario-4](#)


Version / effective date 2016-10-08 20:07:38

Description Stationary scenario for generation of Medical Imaging report

  Medical Imaging Document

[bccdapilot-transaction-8 link](#)

Version / effective date 2016-10-08 20:07:38



  Medical Imaging Document

[bccdapilot-transaction-9 link](#)

Version / effective date 2016-10-08 20:07:38

Model POCD_MT000040 **Label** bcimage

Actor stationary (organization) Document Source

Associations Data Set (for transaction) CDA Pilot dataset(2.16.840.1.113883.3.1937.99.61.26.1.1 / 2016-02-23 22:22:29)
Template BC CDA ClinicalDocumentMedicalImaging (2.16.840.1.113883.3.51.60.2.5.1 / DYNAMIC)

3 Identifiers

3.1 Identifiers

As for now used for rendering purposes only.

3.1.1 DICOM UID 1.2.840.10008.2.6.1

Language	Display Name	Description
en-US	DICOM UID	DICOM UID

3.1.2 DICOM Controlled Terminology 1.2.840.10008.2.16.4

Language	Display Name	Description
en-US	DICOM Controlled Terminology	DICOM Controlled Terminology

3.1.3 pan-Canadian LOINC ® Observation Code Database 2.16.840.1.113883.2.20.5.1

Language	Display Name	Description
en-US	pan-Canadian LOINC ® Observation Code Database	pan-Canadian LOINC ® Observation Code Database

3.1.4 Administrative Gender 2.16.840.1.113883.5.1

Language	Display Name	Description
en-US	Administrative Gender	Administrative Gender

3.1.5 Act Code 2.16.840.1.113883.5.4

Language	Display Name	Description
en-US	Act Code	Act Code

3.1.6 Act Priority 2.16.840.1.113883.5.7

Language	Display Name	Description
en-US	Act Priority	Act Priority

3.1.7 Act Reason 2.16.840.1.113883.5.8

Language	Display Name	Description
en-US	Act Reason	Act Reason

3.1.8 ActStatus 2.16.840.1.113883.5.14

Language	Display Name	Description
en-US	ActStatus	ActStatus

3.1.9 Address Part Type 2.16.840.1.113883.5.16

Language	Display Name	Description
en-US	Address Part Type	Address Part Type

3.1.10 Acknowledgement Type 2.16.840.1.113883.5.18

Language	Display Name	Description
en-US	Acknowledgement Type	Acknowledgement Type

3.1.11 Confidentiality 2.16.840.1.113883.5.25

Language	Display Name	Description
en-US	Confidentiality	Confidentiality

3.1.12 Entity Name Part Qualifier 2.16.840.1.113883.5.43

Language	Display Name	Description
en-US	Entity Name Part Qualifier	Entity Name Part Qualifier

3.1.13 Entity Name Part Type 2.16.840.1.113883.5.44

Language	Display Name	Description
en-US	Entity Name Part Type	Entity Name Part Type

3.1.14 Entity Name Use 2.16.840.1.113883.5.45

Language	Display Name	Description
en-US	Entity Name Use	Entity Name Use

3.1.15 Observation Interpretation 2.16.840.1.113883.5.83

Language	Display Name	Description
en-US	Observation Interpretation	Observation Interpretation

3.1.16 Participation Function 2.16.840.1.113883.5.88

Language	Display Name	Description
en-US	Participation Function	Participation Function

3.1.17 Processing ID 2.16.840.1.113883.5.100

Language	Display Name	Description
en-US	Processing ID	Processing ID

3.1.18 Role Code 2.16.840.1.113883.5.111

Language	Display Name	Description
en-US	Role Code	Role Code

3.1.19 Sequencing 2.16.840.1.113883.5.113

Language	Display Name	Description
en-US	Sequencing	Sequencing

3.1.20 UnitsOfMeasure 2.16.840.1.113883.5.141

Language	Display Name	Description
en-US	UnitsOfMeasure	UnitsOfMeasure

3.1.21 Universal Resource Locator Scheme 2.16.840.1.113883.5.143

Language	Display Name	Description
en-US	Universal Resource Locator Scheme	Universal Resource Locator Scheme

3.1.22 Act Mood 2.16.840.1.113883.5.1001

Language	Display Name	Description
en-US	Act Mood	Act Mood

3.1.23 Null Flavor 2.16.840.1.113883.5.1008

Language	Display Name	Description
en-US	Null Flavor	Null Flavor

3.1.24 TelecommunicationAddressUse 2.16.840.1.113883.5.1011

Language	Display Name	Description
en-US	TelecommunicationAddressUse	TelecommunicationAddressUse

3.1.25 PostalAddressUse 2.16.840.1.113883.5.1012

Language	Display Name	Description
en-US	PostalAddressUse	PostalAddressUse

3.1.26 Acknowledgement Condition 2.16.840.1.113883.5.1050

Language	Display Name	Description
en-US	Acknowledgement Condition	Acknowledgement Condition

3.1.27 Observation Value 2.16.840.1.113883.5.1063

Language	Display Name	Description
en-US	Observation Value	Observation Value

3.1.28 QueryQuantityUnit 2.16.840.1.113883.5.1066

Language	Display Name	Description
en-US	QueryQuantityUnit	QueryQuantityUnit

3.1.29 QueryResponse 2.16.840.1.113883.5.1067

Language	Display Name	Description
en-US	QueryResponse	QueryResponse

3.1.30 AcknowledgementDetailType 2.16.840.1.113883.5.1082

Language	Display Name	Description
en-US	AcknowledgementDetailType	AcknowledgementDetailType

3.1.31 Message Waiting Priority 2.16.840.1.113883.5.1083

Language	Display Name	Description
en-US	Message Waiting Priority	Message Waiting Priority

3.1.32 Query Parameter Value 2.16.840.1.113883.5.1096

Language	Display Name	Description
en-US	Query Parameter Value	Query Parameter Value

3.1.33 Acknowledgement Detail Code 2.16.840.1.113883.5.1100

Language	Display Name	Description
en-US	Acknowledgement Detail Code	Acknowledgement Detail Code

3.1.34 Logical Observation Identifier Names and Codes 2.16.840.1.113883.6.1

Language	Display Name	Description
en-US	Logical Observation Identifier Names and Codes	Logical Observation Identifier Names and Codes

3.1.35 ICD10 2.16.840.1.113883.6.3

Language	Display Name	Description
en-US	ICD10	ICD10

3.1.36 ResponseMode 2.16.840.1.113883.11.19650

Language	Display Name	Description
en-US	ResponseMode	ResponseMode

3.1.37 HL7 version 2.x Quantity limited request used in chapter(s) 5; HL7 table 0126 2.16.840.1.113883.12.126

Language	Display Name	Description
en-US	HL7 version 2.x Quantity limited request used in chapter(s) 5; HL7 table 0126	HL7 version 2.x Quantity limited request used in chapter(s) 5; HL7 table 0126

3.2 List of Template Identifiers used in this project

Id	Display Name	Name	Effective date	Ty
2.16.840.1.113883.3.51.60.1.3	BC CDA recordTarget	BCCDArecordTarget	2016-06-02 05:46:51	
2.16.840.1.113883.3.51.60.1.4	BC CDA author	CDAauthor	2016-03-24 21:39:22	
2.16.840.1.113883.3.51.60.1.5	BC CDA informationRecipient	CDAinformationRecipient	2016-03-24 21:50:27	
2.16.840.1.113883.3.51.60.1.5.1	BC CDA Organization	CDAOrganization	2016-04-03 01:53:40	

2.16.840.1.113883.3.51.60.1.5.2	BC CDA Person	BCDAPerson	2016-04-01 08:37:50
2.16.840.1.113883.3.51.60.1.6	BC CDA custodian	CDAcustodian	2016-03-24 21:59:04
2.16.840.1.113883.3.51.60.1.7	BC CDA dataEnterer	CDAdataEnterer	2016-03-26 17:50:21
2.16.840.1.113883.3.51.60.1.7.1	BC CDA assignedEntity	CDAAssignedEntity	2016-03-27 08:59:41
2.16.840.1.113883.3.51.60.1.8	BC CDA authenticator	BcCDAauthenticator	2016-03-23 21:26:07
2.16.840.1.113883.3.51.60.1.9.1	BC CDA primarycarephysician	BCCDAPRCP	2016-08-24 12:30:58
2.16.840.1.113883.3.51.60.1.10	BC CDA documentationOf	CDAdocumentationOf	2016-03-27 09:05:07
2.16.840.1.113883.3.51.60.1.11	BC CDA componentOf	CDAcomponentOf	2016-03-27 09:09:45
2.16.840.1.113883.3.51.60.1.12	BC CDA inFulfillmentOf	CDAinFulfillmentOf	2016-03-27 09:03:45
2.16.840.1.113883.3.51.60.1.13	BC CDA relatedDocument	BCCDARELATEDDOCUMENT	2016-04-03 18:42:44
2.16.840.1.113883.3.51.60.1.21	BC CDA Device	BCCDADevice	2016-04-03 21:15:27
2.16.840.1.113883.3.51.60.2.5.1	BC CDA ClinicalDocumentMedicalImaging	BCCDAClinicalDocumentMedicalImaging2	2016-10-09 02:16:30
2.16.840.1.113883.3.1937.99.61.26.10.41	Fetus Subject Context	FetusSubjectContext	2016-12-13 06:22:23
2.16.840.1.113883.3.1937.99.61.26.10.42	Observer Context	ObserverContext	2016-12-13 06:23:10
2.16.840.1.113883.3.1937.99.61.26.10.43	Radiology Reason for Study Section	RadiologyReasonforStudySection	2016-12-17 06:18:21
2.16.840.1.113883.3.1937.99.61.26.10.44	Clinical Presentation Section	ClinicalPresentationSection	2016-12-17 06:21:40
2.16.840.1.113883.3.1937.99.61.26.10.45	Key Images Section	KeyImagesSection	2016-12-17 06:23:36
2.16.840.1.113883.10.12.151	CDA Organization	CDAOrganization	2005-09-07
2.16.840.1.113883.10.12.152	CDA Person	CDAPerson	2005-09-07
2.16.840.1.113883.10.12.153	CDA AssignedEntity	CDAAssignedEntity	2005-09-07
2.16.840.1.113883.10.20.6.1.2.1	BC MI Findings Section	BCFindingsSection2	2016-12-15 06:29:44
2.16.840.1.113883.10.20.6.2.8	SOP Instance Observation	SOPInstanceObservation	2016-12-15 06:20:29
2.16.840.1.113883.10.20.6.2.8	SOP Instance Observation	SOPInstanceObservation	2015-08-13
2.16.840.1.113883.10.20.6.2.9	Purpose of Reference Observation	PurposeofReferenceObservation	2015-08-13
2.16.840.1.113883.10.20.6.2.10	Referenced Frames Observation	ReferencedFramesObservation	2015-08-13
2.16.840.1.113883.10.20.6.2.11	Boundary Observation	BoundaryObservation	2015-08-13
2.16.840.1.113883.10.20.6.2.12	Text Observation	TextObservation	2016-12-15 06:13:27
2.16.840.1.113883.10.20.6.2.13	Code Observations	CodeObservations	2016-12-15 06:10:04

2.16.840.1.113883.10.20.6.2.14	Quantity Measurement Observation	QuantityMeasurementObservation	2016-12-15 06:11:48
2.16.840.1.113883.10.20.6.2.14	Quantity Measurement Observation	QuantityMeasurementObservation	2015-08-13
2.16.840.1.113883.10.20.22.2.37	Complications Section	ComplicationsSection	2016-10-09 02:01:42
2.16.840.1.113883.10.20.22.2.39	Medical (General) History Section	MedicalGeneralHistorySection	2016-10-09 02:22:53
2.16.840.1.113883.10.20.22.4.4	Problem Observation	ProblemObservation	2013-01-31
2.16.840.1.113883.10.20.22.4.5	Health Status Observation	HealthStatusObservation	2013-01-31
2.16.840.1.113883.10.20.22.4.6	Problem Status	ProblemStatus	2013-01-31
2.16.840.1.113883.10.20.22.4.31	Age Observation	AgeObservation	2013-01-31


3.3 List of Value Set Identifiers used in this project








Id	Display Name	Name	
2.16.840.1.113883.1.11.1	AdministrativeGender	AdministrativeGender	2
2.16.840.1.113883.1.11.20.12	HealthStatus	HealthStatus	2
2.16.840.1.113883.1.11.10282	ParticipationSignature	ParticipationSignature	2
2.16.840.1.113883.1.11.11526	HumanLanguage	HumanLanguage	2
2.16.840.1.113883.1.11.11610	x_ActRelationshipDocument	x_ActRelationshipDocument	2
2.16.840.1.113883.1.11.12199	LanguageAbilityProficiency	LanguageAbilityProficiency	2
2.16.840.1.113883.1.11.12249	LanguageAbilityMode	LanguageAbilityMode	2
2.16.840.1.113883.1.11.15999	RoleStatus	RoleStatus	2
2.16.840.1.113883.1.11.16040	EntityCode	EntityCode	2
2.16.840.1.113883.1.11.19600	x_EncounterParticipant	x_EncounterParticipant	2
2.16.840.1.113883.3.88.12.80.68	Problem Status	ProblemStatus	2
2.16.840.1.113883.3.88.12.3221.7.2	Problem Type	ProblemType	2
2.16.840.1.113883.3.88.12.3221.7.4	Problem	Problem	2
2.16.840.1.113883.3.1937.99.61.26.11.66	x_NormalRestrictedTabooConfidentialityKind	x_NormalRestrictedTabooConfidentialityKind	2
2.16.840.1.113883.11.20.9.21	Age PQ (UCUM)	AgePQ_UCUM	2
2.16.840.1.113883.11.20.9.28	DICOMPurposeOfReference	DICOMPurposeOfReference	2

4 Templates

4.1 Templates with direct association to a transaction

4.1.1 BC CDA ClinicalDocumentMedicalImaging 2.16.840.1.113883.3.51.60.2.5.1 - 2016-10-09 02:16:30

Direction	Underlying Model	Template name	Schematron
 stationary	POCD_MT000040	bcimage	bccdapilot-bcimage.sch

Id	2.16.840.1.113883.3.51.60.2.5.1	Effective Date	valid from 2016-10-09 02:16:30	
Status	 Draft	Version Label		
Name	BCCDAClinicalDocumentMedicalImaging2	Display Name	BC CDA ClinicalDocumentMedicalImaging	
Description	BC CDA Document Type Template for Medical Imaging from the Northern Health Authority Project. Derived from the BC CDA Document Type Template for Medical Imaging from the BC EHR specification.			
Context	Pathname //			
Classification	CDA Document Level Template			
Open/Closed	Open (other than defined elements are allowed)			
Used by / Uses	Used by 0 templates, Uses 19 templates			
	Uses Template id	as	Name	Version
	2.16.840.1.113883.3.51.60.1.3	Include	 BC CDA recordTarget	DYNAMIC
	2.16.840.1.113883.3.51.60.1.4	Include	 BC CDA author	DYNAMIC
	2.16.840.1.113883.3.51.60.1.6	Include	 BC CDA custodian	DYNAMIC
	2.16.840.1.113883.3.51.60.1.5	Include	 BC CDA informationRecipient	DYNAMIC
	2.16.840.1.113883.3.51.60.1.7	Include	 BC CDA dataEnterer	DYNAMIC
	2.16.840.1.113883.3.51.60.1.8	Include	 BC CDA authenticator	DYNAMIC

2.16.840.1.113883.3.51.60.1.10	Include	BC CDA documentationOf	DYNAMIC
2.16.840.1.113883.3.51.60.1.12	Include	BC CDA inFulfillmentOf	DYNAMIC
2.16.840.1.113883.3.51.60.1.13	Include	BC CDA relatedDocument	DYNAMIC
2.16.840.1.113883.3.51.60.1.11	Include	BC CDA componentOf	DYNAMIC
2.16.840.1.113883.3.51.60.1.9.1	Include	BC CDA primarycarephysician	DYNAMIC
2.16.840.1.113883.3.1937.99.61.26.10.42	Containment	Observer Context (2.1)	DYNAMIC
2.16.840.1.113883.3.1937.99.61.26.10.41	Containment	Fetus Subject Context (2.1)	DYNAMIC
2.16.840.1.113883.10.20.6.1.2.1	Containment	BC MI Findings Section (1.1)	DYNAMIC
2.16.840.1.113883.10.20.22.2.37	Containment	Complications Section (1.1)	DYNAMIC
2.16.840.1.113883.10.20.22.2.39	Containment	Medical (General) History Section (1.1)	DYNAMIC
2.16.840.1.113883.3.1937.99.61.26.10.44	Containment	Clinical Presentation Section (2.1)	DYNAMIC
2.16.840.1.113883.3.1937.99.61.26.10.45	Containment	Key Images Section (2.1)	DYNAMIC
2.16.840.1.113883.3.1937.99.61.26.10.43	Containment	Radiology Reason for Study Section (2.1)	DYNAMIC

Relationship Specialization: model 2.16.840.1.113883.10.12.1 (*DYNAMIC*)

Example Example of a ClinicalDocument/title element

```
<title>Lab Report</title>
```

Item	DT	Card	Conf	Description
h17: ClinicalDocument		1 .. 1	M	
└ @classCode	cs	1 .. 1	F	DOCCLIN
└ @moodCode	cs	1 .. 1	F	EVN

Item	DT	Card	Conf	Description	La	
	Constraint	The root of a document conforming to this specification SHALL be a ClinicalDocument element from the urn:hl7-org:v3 namespace.				
└ h17:realmCode	CS CWE	1 .. 1	M		CO	
└ @code	CONF	1 .. 1	F	CA-BC		
└ h17:typeId	II	1 .. 1	M		CO	
└ @root	uid	1 .. 1	F	2.16.840.1.113883.1.3	CO	
└ @extension	st	1 .. 1	F	POCD_HD000040	CO	
└ h17:templateId	II	1 .. 1	M		CO	
└ @root	uid	1 .. 1	F	2.16.840.1.113883.3.51.60.2.5.1		
└ h17:id	II	1 .. 1	M		CO	
└ @extension	uid	1 .. 1	R		CO	
└ @root	oid	1 .. 1	R		CO	
	Constraint	id SHALL contain exactly one [1..1] id with an id.root containing the ID's namespace OID. id.extension attribute SHALL be a GUID.				
└ h17:code	CE	1 .. 1	M		CO	

Item	DT	Card	Conf	Description	La
└ @code	CONF	1 .. 1	F	18748-4	
└ @codeSystem		1 .. 1	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
└ @displayName		1 .. 1	F	Diagnostic Imaging Report	
└ @codeSystemName		1 .. 1	F	LOINC	
└ h17:title	ST	1 .. 1	M		CO
	Constraint	<p>The value for ClinicalDocument/title SHALL contain exactly one [1..1]title element valued with a string that specifies the title used for the document.</p> <p>The value for ClinicalDocument/title SHOULD match the official text for the ClinicalDocument/code and SHALL NOT contain any other characters.</p>			
	Example	<p>Example of a ClinicalDocument/title element</p> <pre><title>Lab Report</title></pre>			
└ h17:effectiveTime	TS	1 .. 1	M		CO
	Constraint	<p>The effectiveTime.value SHALL be precise to the day, and SHOULD be precise to the minute and, if more precise than day, include a time zone offset.</p>			
	Example	<p>Example of a ClinicalDocument/effectiveTime element</p> <pre><effectiveTime value="201210251150-0800"/></pre>			
└ h17:confidentialityCode	CE	1 .. 1	M		CO CO CO CO
	Constraint	<p>CONF-BC0028: confidentialityCode.code SHOULD be fixed to N (normal) from Value Set 2.16.840.1.113883.2.20.3.139 x_BasicConfidentialityKind STATIC. Where appropriate to the use case, the following values from x_BasicConfidentialityK</p>			

Item	DT	Card	Conf	Description	La	
		be used: Restricted, Very Restricted, and Taboo.				
└ @code		1 .. 1	F	N		
└ @codeSystem	CONF	1 .. 1	F	2.16.840.1.113883.5.25 (Confidentiality)		
└ @displayName		1 .. 1	F	Normal		
	Example	<code><confidentialityCode code="N" codeSystem="2.16.840.1.113883.5.25" codeSystemName="Confidentiality"/></code>				
└ h17:languageCode	CS	1 .. 1	M		CO CO	
	CONF	@code shall be "en" or @code shall be "en-CA"				
	Example	<code><languageCode code="en-CA"/></code>				
└ h17:setId	II	0 .. 1	C		CO CO	
	Constraint	setId.extension SHALL be a GUID Where setId is leveraged, CDA document SHALL contain exactly 1 [1..1] versionNumber element Where setId is leveraged, subsequent related documents must have the same ClinicalDocument/setID value as the first document in the series. ClinicalDocument/setId and ClinicalDocument/versionNumber are used to denote document revision numbers. The ClinicalDocument/effectiveTime is set to the time of the new revision. The ClinicalDocument/relatedDocument.typeCode is set to RPLC (replace), unless for specific instances for Diagnosing Imaging, where it may be set to XFRM (transform).				

Item	DT	Card	Conf	Description	La
└ h17:versionNumber	INT	0 .. 1	C		CO CO
	Constraint			<p>versionNumber.value attribute SHALL be an integer representing the version of the document, with the initial version of 1 and incrementing with each version of the document.</p> <p>Where setId is leveraged, the versionNumber SHALL be set at the value of "1" for the original version of the document, and for an instance of a replacement document the versionNumber SHALL be an increment of 1 from the document version it replaced.</p> <p>Where setId is leveraged, setId and versionNumber SHALL both be present.</p>	
<i>Included</i>		1 .. 1	M	from 2.16.840.1.113883.3.51.60.1.3 BC CDA recordTarget (DYNAMIC)	
└ h17:recordTarget		1 .. 1	M		CO
└ @typeCode	cs	1 .. 1	F	RCT	CO
└ @contextControlCode	cs	1 .. 1	F	OP	
└ h17:patientRole		1 .. 1	M		CO
└ @classCode	cs	1 .. 1	F	PAT	CO
└ h17:id	II	1 .. *	R		CO
└ h17:addr	AD.CA	0 .. *			CO
└ h17:telecom	TEL.CA.PHONE	0 .. *			CO

Item	DT	Card	Conf	Description	La
└ h17:patient		1 .. 1	M		CO
└ @classCode	CS	1 .. 1	F	PSN	CO
└ @determinerCode	CS	1 .. 1	F	INSTANCE	
└ h17:name	PN.CA	1 .. *	M		CO
└ h17:administrativeGenderCode	CE CNE	1 .. 1	M		CO
	CONF	The value of @code shall be drawn from value set 2.16.840.1.113883.1.11.1 AdministrativeGender (DYNAMIC)			
└ h17:birthTime	TS	1 .. 1	M		CO
└ h17:languageCommunication		0 .. *			CO
└ h17:languageCode	CS	0 .. 1			CO
	CONF	The value of @code shall be drawn from value set 2.16.840.1.113883.1.11.11526 HumanLanguage (DYNAMIC)			
└ h17:modeCode	CE	0 .. 1			CO
	CONF	The value of @code shall be drawn from value set 2.16.840.1.113883.1.11.12249 LanguageAbilityMode (DYNAMIC)			
└ h17:proficiencyLevelCode	CE	0 .. 1			CO
	CONF	The value of @code shall be drawn from value set 2.16.840.1.113883.1.11.12199 LanguageAbilityProficiency (DYNAMIC)			
└ h17:preferenceInd	BL	0 .. 1			CO

Item	DT	Card	Conf	Description
Included		1 .. *	M	from 2.16.840.1.113883.3.51.60.1.4 BC CDA author (DYNAMIC)
└ h17:author		1 .. *	M	
└ @typeCode	cs	1 .. 1	F	AUT
└ @contextControlCode	cs	1 .. 1	F	OP
└ h17:time	TS	1 .. 1	M	
	Constraint	The author/time.value SHALL be precise to the day and SHOULD be precise to the minute. If more precise than the day, SHALL be precise to the minute and SHOULD be precise to the second. This represents the date/time that the clinical document was dictated by the assignedPerson. In instances where the clinical document is authored by an assignedAuthoringDevice, this date/time represents the time that the document was dictated by the device. (e.g. ECG auto-interpretation)		
└ h17:assignedAuthor		1 .. 1	M	
└ @classCode	cs	1 .. 1	F	ASSIGNED
└ h17:id	II	1 .. *	M	
	Constraint	If the author is a Provider, the id elements SHALL conform to section 4.2.1.3. If the author is not a Provider, assignedAuthor/id MAY be a locally assigned identifier		
└ h17:code	CE	0 .. 1		
└ @codeSystem	CONF	1 .. 1	F	2.16.840.1.113883.5.111 (Role Code)

Item	DT	Card	Conf	Description
└ h17:addr	AD.CA	0 .. *		
└ h17:telecom	TEL.CA.PHONE	0 .. *		
<i>Choice</i>		0 .. 1		Elements to choose from: <ul style="list-style-type: none"> h17:assignedPerson h17:assignedAuthoringDevice
└ h17:assignedPerson		0 .. 1	R	
<i>Included</i>				from 2.16.840.1.113883.3.51.60.1.5.2 BC CDA Person (DYNAMIC)
└ @classCode	cs	1 .. 1	F	PSN
└ @determinerCode	cs	1 .. 1	F	INSTANCE
└ h17:name	PN.CA	1 .. *	R	
	Constraint	assignedEntity/assignedPerson.name element SHALL conform to the constraints in the common section on names		
└ h17:assignedAuthoringDevice		0 .. 1	R	
<i>Included</i>				from 2.16.840.1.113883.3.51.60.1.21 BC CDA Device (DYNAMIC)
└ @classCode	cs	1 .. 1	F	DEV
└ @determinerCode	cs	1 .. 1	F	INSTANCE
└ h17:code	CE	0 .. 1		
	CONF	The value of @code shall be drawn from value set 2.16.840.1.113883.1.11.16040 EntityCode (DYNAMIC)		

Item	DT	Card	Conf	Description	La
└ h17:manufacturerModelName	SC	0 .. 1			CO
└ h17:softwareName	SC	0 .. 1			CO
Included		1 .. 1	M	from 2.16.840.1.113883.3.51.60.1.6 BC CDA custodian (DYNAMIC)	
└ h17:custodian		1 .. 1	M		CO
└ @typeCode	cs	1 .. 1	F	CST	CO
└ h17:assignedCustodian		1 .. 1	M		CO
└ @classCode	cs	1 .. 1	F	ASSIGNED	CO
└ h17:representedCustodianOrganization		1 .. 1	M		CO
└ @classCode	cs	1 .. 1	F	ORG	CO
└ @determinerCode	cs	1 .. 1	F	INSTANCE	CO
└ h17:id	II	1 .. 1	M		CO
	Constraint	a.If the clinical document is generated from a Health Authority, this id SHALL contain the root OID of the Health Authority facility id shall be used as the extension. b.If the clinical document is generated from an EMR, this id SHALL NOT contain the root OID of a Health Authority or of the Ministry of Health.			
└ h17:name	ON	0 .. 1			CO

Item	DT	Card	Conf	Description	La	
Included		0 ... *		from 2.16.840.1.113883.3.51.60.1.5 BC CDA informationRecipient (DYNAMIC)		
└ h17:informationRecipient		0 ... *			CO CO	
└ @typeCode	cs	1 ... 1	R			
	Constraint	informationRecipient SHALL have the attribute typeCode which SHALL be either "PRCP" (primary recipient) or "TRC" (secondary recipient), from HL7 Value Set x_InformationRecipient. There SHALL be at least one [1..*] primary recipient ("PRCP").				
└ h17:intendedRecipient		1 ... 1	M		CO	
└ @classCode	cs	1 ... 1	F	ASSIGNED	CO	
└ h17:id	II	1 ... 2	R		CO CO CO	
	Constraint	If the informationRecipient is a Provider, the id elements SHALL conform to section 4.2.1.3. If the informationRecipient is a not a Provider, intendedRecipient/id.extension MAY be a locally assigned identifier				
└ h17:addr	AD.CA	0 ... *			CO	
	Constraint	If present, intendedRecipient/addr SHALL conform to the restrictions for the described in common for addresses.				
└ h17:telecom	TEL.CA.PHONE	0 ... *			CO	
	Constraint	If present, telecom SHALL conform to the restrictions for the pan-Canadian data type flavor TEL.PHONE, TEL.FAX, TEL.EMAIL				

Item	DT	Card	Conf	Description	La	
└ h17:informationRecipient		1 .. 1	R		CO	
Included		0 .. *		from 2.16.840.1.113883.3.51.60.1.5.2 BC CDA Person (DYNAMIC)		
└ @classCode	cs	1 .. 1	F	PSN	CO	
└ @determinerCode	cs	1 .. 1	F	INSTANCE	CO	
└ h17:name	PN.CA	0 .. *	R		CO	
	Constraint	assignedEntity/assignedPerson.name element SHALL conform to the constraints in the common section on names				
└ h17:receivedOrganization		0 .. 1			CO	
Included		0 .. *		from 2.16.840.1.113883.3.51.60.1.5.1 BC CDA Organization (DYNAMIC)		
└ @classCode	cs	1 .. 1	F	ORG	CO	
└ @determinerCode	cs	1 .. 1	F	INSTANCE		
└ h17:id	II	0 .. *	R		CO	
└ h17:name	ON	0 .. *	R		CO	
Included		0 .. 1		from 2.16.840.1.113883.3.51.60.1.7 BC CDA dataEnterer (DYNAMIC)		
└ h17:dataEnterer		0 .. 1			CO CO	
└ @typeCode	cs	1 .. 1	F	ENT	CO	
└ @contextControlCode	cs	1 .. 1	F	OP		

Item	DT	Card	Conf	Description
	Constraint	if dataEnterer is not the same as the author , dataEnterer SHOULD be present		
└ h17:time	TS	1 .. 1	M	
	Constraint	The dataEnterer/time.value SHALL be precise to the day and SHOULD be precise to the minute. If more precise than the day, SHALL include a time zone offset. This represents the date/time that the clinical document was transcribed by the dataEnterer.		
└ h17:assignedEntity		1 .. 1	M	Contains 2.16.840.1.113883.3.51.60.1.7.1 BC CDA assignedEntity (DYNAMIC)
where [not(@nullFlavor)]				
Included		0 .. *		from 2.16.840.1.113883.3.51.60.1.8 BC CDA authenticator (DYNAMIC)
└ h17:authenticator		0 .. *		
└ @typeCode	cs	1 .. 1	F	AUTHEN
└ h17:time	TS	1 .. 1	R	
	Constraint	time SHALL be precise to the day and SHOULD be precise to the minute and, if more precise than the day, SHALL include a time zone offset		
└ h17:signatureCode	CS	1 .. 1	R	
	CONF	The value of @code shall be drawn from value set 2.16.840.1.113883.1.11.10282 ParticipationSignature (DYNAMIC)		
└ h17:assignedEntity		1 .. 1	R	Contains 2.16.840.1.113883.10.12.153 CDA AssignedEntity (DYNAMIC)
Included		0 .. *		from 2.16.840.1.113883.3.51.60.1.10 BC CDA documentationOf (DYNAMIC)
└ h17:documentationOf		0 .. *	R	
└ @typeCode	cs	1 .. 1	F	DOC

Item	DT	Card	Conf	Description	La	
	Constraint	documentationOf/serviceEventMAY be present. Where present, serviceEvent SHALL conform to the requirements specified in the general BC header definition.				
└ h17:serviceEvent		1 .. 1	M		CO	
└ @classCode	cs	1 .. 1	F	ACT	CO	
└ @moodCode	cs	1 .. 1	F	EVN		
└ h17:id	II	0 .. *			CO	
└ h17:code	CE	0 .. 1			CO	
	Constraint	The value of ServiceEvent/code SHOULD be from the SNOMED CT (codeSystem 2.16.840.1.113883.6.96) ValueSet Procedure (codeSystem 2.16.840.1.113883.3.88.12.80.28 DYNAMIC, or the value of ServiceEvent/code MAY be from ICD10-CA (codeSystem 2.16.840.1.113881.6.94) or CCI (codeSystem 2.16.840.1.113883.6.94).				
└ @codeSystem	CONF	1 .. 1	F	2.16.840.1.113883.5.4 (Act Code)		
└ h17:effectiveTime	IVL_TS	1 .. 1	M		CO	
└ h17:performer		0 .. *			CO	
└ @typeCode	cs	1 .. 1	R		CO	
	Constraint	If present, performer SHALL contain the typeCode attribute whose value SHALL be either "PPRF" (primary performer) or "SPRF" (secondary performer).				
└ h17:assignedEntity		1 .. 1	M	Contains 2.16.840.1.113883.10.12.153 CDA AssignedEntity (DYNAMIC)	CO	
where [not(@nullFlavor)]						

Item	DT	Card	Conf	Description	La
Included		0 .. *		from 2.16.840.1.113883.3.51.60.1.12 BC CDA inFulfillmentOf (DYNAMIC)	
└ h17:inFulfillmentOf		0 .. *			CO
└ @typeCode	cs	1 .. 1	F	FLFS	CO
				<p>The inFulfillmentOf/order element MAY be present and represents the Placer Order (HL7 V2: ORC-2) or the Placer Group (HL7 V2: ORC-4) that was fulfilled, the identifier of which is carried in inFulfillmentOf/order/id. When present, these elements conform to the constraints described in the general header section of this guide.</p> <p>Constraint</p> <p>If the inFulfillmentOf/order element is present, it SHALL contain exactly one [1..1] statusCode(HL7 V2: ORC-5), which represents the status code of the order. Therefore, if present, code.codeSystem SHALL contain "statusCode" and code.code SHALL contain "completed," "active," or "aborted."</p>	
└ h17:order		1 .. 1	M		CO
└ @classCode	cs	1 .. 1	F	ACT	CO
└ @moodCode	cs	1 .. 1	F	RQO	
└ h17:id	II	1 .. *	M		CO
└ h17:code	CE	0 .. 1			CO
				<p>inFulfillmentOf/order element MAY contain one [0..1] code element. If present, code SHALL contain the status code of the order. Therefore, if present, code.codeSystem SHALL contain "statusCode" and code.code SHALL contain "completed," "active," or "aborted."</p>	
Included		0 .. 2		from 2.16.840.1.113883.3.51.60.1.13 BC CDA relatedDocument (DYNAMIC)	
└ h17:relatedDocument		0 .. 2			CO

Item	DT	Card	Conf	Description	La	
└ @typeCode	cs	1 .. 1	R		CO	
	CONF	The value of @typeCode shall be drawn from value set 2.16.840.1.113883.1.11.11610 <i>x_ActRelationshipDocument</i> (DYNA				
└ h17:parentDocument		1 .. 1	M		CO	
└ @classCode	cs	1 .. 1	F	DOCCLIN		
└ @moodCode	cs	1 .. 1	F	EVN		
└ h17:id	II	1 .. 1	M		CO CO CO CO	
	Constraint	<p>ClinicalDocument/relatedDocument/ParentDocument/id/@root SHALL be the ClinicalDocument/Id/@root for the document it relates to.</p> <p>ClinicalDocument/relatedDocument/ParentDocument/id/@extension SHALL be the ClinicalDocument/Id/@extension for the document it relates to</p> <p>ClinicalDocument/relatedDocument/ParentDocument/id/@assigningAuthorityName SHALL be the ClinicalDocument/Id/@assigningAuthorityName for the document it relates to.</p>				
└ h17:code	CD	0 .. 1			CO	
└ @codeSystem	CONF	1 .. 1	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)		
└ h17:text	ED	0 .. 1			CO	

Item	DT	Card	Conf	Description	La
	Constraint			<p>parentDocumentMAY contain the text element with the text.mediaType attribute set to indicate the MIME type of the related document.</p> <p>The related document SHALL NOT be embedded inparentDocument/text element.</p> <p>When sending a relatedDocument, the ClinicalDocument/relatedDocument.typeCode SHALL be present, set at the value of the original version of the document, and in the instance of a replacement document the versionNumberif present, SHALL be an increment of 1 from the document version it replaces.</p> <p>Replacement documents are meant to completely replace the previous version of a document, and as such SHALL NOT be considered as addendums in receiving systems.</p> <p>Replacement documents SHALL represent a transitive relationship, where document A.1 can be replaced by A.2, A.2 can be replaced by A.3, and so on. Multiple documents SHALL NOT replace the same document; i.e. A.1 being replaced by A.2 and also by A.3.</p> <p>Receiving systems MAY retain parent documents that are considered superseded for historical and auditing purposes. If parent documents are maintained, the receiving system SHALL very clearly identify the parent document as superseded by a newer version of the document.</p>	
└ h17:setId	II	0 .. 1			CO
└ h17:versionNumber	INT	0 .. 1			CO
Included		1 .. 1	M	from 2.16.840.1.113883.3.51.60.1.11 BC CDA componentOf (DYNAMIC)	

Item	DT	Card	Conf	Description	La
└ h17:componentOf		1 .. 1	M		CO
└ @typeCode	cs	1 .. 1	F	COMP	CO
└ h17:encompassingEncounter		1 .. 1	R		CO
└ @classCode	cs	1 .. 1	F	ENC	CO
└ @moodCode	cs	1 .. 1	F	EVN	
└ h17:id	II	0 .. *			CO
└ h17:effectiveTime	IVL_TS	1 .. 1	R		CO
└ h17:responsibleParty		0 .. 1		Contains 2.16.840.1.113883.10.12.153 CDA AssignedEntity (DYNAMIC)	CO
└ @typeCode	cs	1 .. 1	F	RESP	CO
└ h17:encounterParticipant		0 .. *			CO
└ @typeCode	cs	1 .. 1	R		CO
	CONF			The value of @typeCode shall be drawn from value set 2.16.840.1.113883.1.11.19600 x_EncounterParticipant (DYNAMIC)	
	Constraint			MAY contain zero or more [0..*]encounterParticipantelements. If present, the encounterParticipant/assignedEntity elements have at least one of assignedPerson or representedOrganization element present.	
└ h17:assignedEntity		1 .. 1	R	Contains 2.16.840.1.113883.10.12.153 CDA AssignedEntity (DYNAMIC)	CO
Included		0 .. *		from 2.16.840.1.113883.3.51.60.1.9.1 BC CDA primarycarephysician (DYNAMIC)	

Item	DT	Card	Conf	Description
└ h17:participant		0 ... *		
└ @typeCode	cs	1 ... 1	F	IND
└ @contextControlCode	cs	1 ... 1	F	OP
└ h17:functionCode	CE	1 ... 1	M	
└ @code	CONF	1 ... 1	F	PCP
└ @codeSystem		1 ... 1	F	2.16.840.1.113883.5.88 (Participation Function)
└ @displayName		1 ... 1	F	Primary Care Physician
└ @codeSystemName		1 ... 1	F	HL7ParticipationFunction
└ h17:associatedEntity		1 ... 1	M	
└ @classCode	cs	1 ... 1	F	PROV
└ h17:id	II	1 ... 2	R	
	Constraint	<p>If the participant is a provider, the id elements SHALL conform to section 4.2.1.3.</p> <p>If the participant is a not a Provider, associatedEntity/id.extension MAY be a locally assigned identifier</p>		

Item	DT	Card	Conf	Description	La
└ h17:code	CE	0 .. 1			CO
└ @codeSystem	CONF	1 .. 1	F	2.16.840.1.113883.5.111 (Role Code)	
└ h17:addr	AD.CA	0 .. *			CO
└ h17:telecom	TEL.CA.PHONE	0 .. *			CO
└ h17:associatedPerson		1 .. 1	M	Contains 2.16.840.1.113883.3.51.60.1.5.2 BC CDA Person (DYNAMIC)	CO
where [not(@nullFlavor)]					
└ h17:component		1 .. 1	M		CO
└ @typeCode	cs	1 .. 1	F	COMP	
└ @contextConductionInd	bl	1 .. 1	F	true	
└ h17:structuredBody		1 .. 1	M		CO
└ @classCode	cs	1 .. 1	F	DOCBODY	
└ @moodCode	cs	1 .. 1	F	EVN	
└ h17:confidentialityCode	CE CNE	0 .. 1			CO
	CONF	The value of @code shall be drawn from value set 2.16.840.1.113883.3.1937.99.61.26.11.66 x_NormalRestrictedTabooConfidentialityKind (DYNAMIC)			






Item	DT	Card	Conf	Description	La
└ h17:languageCode	CS	0 .. 1			CO
└ h17:component		0 .. *	R	Contains 2.16.840.1.113883.3.1937.99.61.26.10.42 <i>Observer Context</i> (DYNAMIC)	CO
where [cda:section [hl7:templateId [@root='2.16.840.1.113883.10.20.6.2.4']]]					
└ @typeCode	cs	1 .. 1	F	COMP	
└ @contextConductionInd	bl	1 .. 1	F	true	
└ h17:component		0 .. *	R	Contains 2.16.840.1.113883.3.1937.99.61.26.10.41 <i>Fetus Subject Context</i> (DYNAMIC)	CO
where [cda:section [hl7:templateId [@root='2.16.840.1.113883.10.20.6.2.3']]]					
└ @typeCode	cs	1 .. 1	F	COMP	
└ @contextConductionInd	bl	1 .. 1	F	true	
└ h17:component		1 .. *	M	Contains 2.16.840.1.113883.10.20.6.1.2.1 <i>BC MI Findings Section</i> (DYNAMIC)	CO
where [cda:section [hl7:templateId [@root='2.16.840.1.113883.10.20.6.1.2.1']]]					
└ @typeCode	cs	1 .. 1	F	COMP	
└ @contextConductionInd	bl	1 .. 1	F	true	
└ h17:component		0 .. *	R	Contains 2.16.840.1.113883.10.20.22.2.37 <i>Complications Section</i> (DYNAMIC)	CO
where [cda:section [hl7:templateId [@root='2.16.840.1.113883.10.20.22.2.37']]]					

Item	DT	Card	Conf	Description	La
└ @typeCode	cs	1 .. 1	F	COMP	
└ @contextConductionInd	bl	1 .. 1	F	true	
└ h17:component		0 .. *	R	Contains 2.16.840.1.113883.10.20.22.2.39 <i>Medical (General) History Section</i> (DYNAMIC)	CO
where [cda:section [hl7:templateId [@root='2.16.840.1.113883.10.20.22.2.39']]]					
└ @typeCode	cs	1 .. 1	F	COMP	
└ @contextConductionInd	bl	1 .. 1	F	true	
└ h17:component		0 .. *	R	Contains 2.16.840.1.113883.3.1937.99.61.26.10.44 <i>Clinical Presentation Section</i> (DYNAMIC)	CO
where [cda:section [hl7:templateId [@root='2.16.840.1.113883.10.20.6.2.20']]]					
└ @typeCode	cs	1 .. 1	F	COMP	
└ @contextConductionInd	bl	1 .. 1	F	true	
└ h17:component		0 .. *	R	Contains 2.16.840.1.113883.3.1937.99.61.26.10.45 <i>Key Images Section</i> (DYNAMIC)	CO
where [cda:section [hl7:templateId [@root='2.16.840.1.113883.10.20.6.2.21']]]					
└ @typeCode	cs	1 .. 1	F	COMP	
└ @contextConductionInd	bl	1 .. 1	F	true	

Item	DT	Card	Conf	Description	La
└ h17:component		0 ... *	R	Contains 2.16.840.1.113883.3.1937.99.61.26.10.43 <i>Radiology Reason for Study Section</i> (DYNAMIC)	CO
where [cda:section [hl7:templateId [@root='2.16.840.1.113883.10.20.6.2.22']]]					
└ @typeCode	cs	1 ... 1	F	COMP	
└ @contextConductionInd	bl	1 ... 1	F	true	
└ h17:component		0 ... *	R	Contains 2.16.840.1.113883.3.1937.99.61.26.10.41 <i>Fetus Subject Context</i> (DYNAMIC)	CO
where [cda:section [hl7:templateId [@root='2.16.840.1.113883.10.20.6.2.3']]]					
└ @typeCode	cs	1 ... 1	F	COMP	
└ @contextConductionInd	bl	1 ... 1	F	true	
└ h17:component		0 ... *	R	Contains 2.16.840.1.113883.3.1937.99.61.26.10.42 <i>Observer Context</i> (DYNAMIC)	CO
where [cda:section [hl7:templateId [@root='2.16.840.1.113883.10.20.6.2.4']]]					
└ @typeCode	cs	1 ... 1	F	COMP	
└ @contextConductionInd	bl	1 ... 1	F	true	





4.2 Templates

4.2.1  BC CDA Device 2.16.840.1.113883.3.51.60.1.21 - 2016-04-03 21:15:27  (from repository: bccdae2e-)

Id	2.16.840.1.113883.3.51.60.1.21  (from repository: bccdae2e-)	Effective Date	valid from 2016-04-03 21:15:27
Status	 Draft	Version Label	
Name	BCCDADevice	Display Name	BC CDA Device
Description	Template CDA Device (prototype, directly derived from POCD_RM000040 MIF)		
Classification	CDA Entry Level Template		
Open/Closed	Open (other than defined elements are allowed)		
Used by / Uses	Used by 2 templates, Uses 0 templates		
	Used by Template id	as	Name
	Version		
	2.16.840.1.113883.3.51.60.1.4		BC CDA author
	2.16.840.1.113883.3.51.60.2.5.1 		BC CDA ClinicalDocumentMedicalImaging
Relationship	Specialization: template 2.16.840.1.113883.10.12.315 (2005-09-07)		

Item	DT	Card	Conf	Description	Label
@classCode	cs	1 .. 1	F	DEV	
@determinerCode	cs	1 .. 1	F	INSTANCE	
h17:code	CE	0 .. 1			(BCCDADevice)
	CONF			The value of @code shall be drawn from value set 2.16.840.1.113883.1.11.16040 <i>EntityCode</i> (DYNAMIC)	
h17:manufacturerModelName	SC	0 .. 1			(BCCDADevice)
h17:softwareName	SC	0 .. 1			(BCCDADevice)




4.2.2  BC CDA primarycarephysician 2.16.840.1.113883.3.51.60.1.9.1 - 2016-08-24 12:30:58  (from repository: bccdae2e-)

Id	2.16.840.1.113883.3.51.60.1.9.1  (from repository: bccdae2e-)	Effective Date	valid from 2016-08-24 12:30:58
Status	 Draft	Version Label	
Name	BCCDAPRCP	Display Name	BC CDA primarycarephysician
Description	Template CDA participant (prototype, directly derived from POCD_RM000040 MIF). used for communicating primary care physician		
Classification	CDA Header Level Template		
Open/Closed	Open (other than defined elements are allowed)		
Used by / Uses	Used by 1 template, Uses 1 template		
	Used by Template id	as	Name
	2.16.840.1.113883.3.51.60.2.5.1		 BC CDA ClinicalDocumentMedicalImaging
	Version	2016-10-09 02:16:30	
Uses Template id	as	Name	Version
	2.16.840.1.113883.3.51.60.1.5.2 Containment		 BC CDA Person
Relationship	Specialization: template 2.16.840.1.113883.10.12.108 (2005-09-07)		
	Specialization: template 2.16.840.1.113883.3.51.60.1.9 (2016-03-27 09:01:10)		

Item	DT	Card	Conf	Description	Label
h17:participant		0 ... *			CONF-8504
└ @typeCode	cs	1 ... 1	F	IND	CONF-8505
└ @contextControlCode	cs	1 ... 1	F	OP	CONF-8505
└ h17:functionCode	CE	1 ... 1	M		CONF-8506
└ @code	CONF	1 ... 1	F	PCP	

Item	DT	Card	Conf	Description	Label
└ @codeSystem		1 .. 1	F	2.16.840.1.113883.5.88 (Participation Function)	
└ @displayName		1 .. 1	F	Primary Care Physician	
└ @codeSystemName		1 .. 1	F	HL7ParticipationFunction	
└ h17:associatedEntity		1 .. 1	M		CONF-8507
└ @classCode	cs	1 .. 1	F	PROV	CONF-8504
└ h17:id	II	1 .. 2	R		CONF-BC0097, CONF-BC0098
	Constraint	<p>If the participant is a provider, the id elements SHALL conform to section 4.2.1.3.</p> <p>If the participant is a not a Provider, associatedEntity/id.extension MAY be a locally assigned identifier</p>			
└ h17:code	CE	0 .. 1			CONF-8507
└ @codeSystem	CONF	1 .. 1	F	2.16.840.1.113883.5.111 (Role Code)	
└ h17:addr	AD.CA	0 .. *			CONF-BC0101
└ h17:telecom	TEL.CA.PHONE	0 .. *			CONF-BC0102
└ h17:associatedPerson		1 .. 1	M	Contains 2.16.840.1.113883.3.51.60.1.5.2 BC CDA Person (DYNAMIC)	CONF-8508
where [not(@nullFlavor)]					

4.2.3  BC CDA recordTarget 2.16.840.1.113883.3.51.60.1.3 - 2016-06-02 05:46:51  (from repository: bccdae2e-)





Id	2.16.840.1.113883.3.51.60.1.3  (from repository: bccdae2e-)	Effective Date	valid from 2016-06-02 05:46:51
Status	 Draft	Version Label	
Name	BCCDArecordTarget	Display Name	BC CDA recordTarget
Description	Template CDA recordTarget (prototype, directly derived from POCD_RM000040 MIF)		
Classification	CDA Header Level Template		
Open/Closed	Open (other than defined elements are allowed)		
Used by / Uses	Used by 1 template, Uses 0 templates		
	Used by Template id	as	Name
	2.16.840.1.113883.3.51.60.2.5.1		BC CDA ClinicalDocumentMedicalImaging
			Version
			2016-10-09 02:16:30
Relationship	Specialization: template 2.16.840.1.113883.10.12.101 (2005-09-07)		

Item	DT	Card	Conf	Description	Label
h17:recordTarget		1 ... *	R		CONF-BC0047
└ @typeCode	cs	1 ... 1	F	RCT	CONF-BC0507
└ @contextControlCode	cs	1 ... 1	F	OP	
└ h17:patientRole		1 ... 1	M		CONF-BC0047
└ @classCode	cs	1 ... 1	F	PAT	CONF-BC0508
└ h17:id	II	1 ... *	R		CONF-BC0048
└ h17:addr	AD.CA	0 ... *			CONF-BC0051

Item	DT	Card	Conf	Description	Label
└ h17:telecom	TEL.CA.PHONE	0 ... *			CONF-BC0052
└ h17:patient		1 ... 1	M		CONF-BC0053
└ @classCode	cs	1 ... 1	F	PSN	CONF-BC0509
└ @determinerCode	cs	1 ... 1	F	INSTANCE	
└ h17:name	PN.CA	1 ... *	M		CONF-BC0054
└ h17:administrativeGenderCode	CE CNE	1 ... 1	M		CONF-BC0055
	CONF	The value of @code shall be drawn from value set 2.16.840.1.113883.1.11.1 <i>AdministrativeGender</i> (DYNAMIC)			
└ h17:birthTime	TS	1 ... 1	M		CONF-BC0056
└ h17:languageCommunication		0 ... *			CONF-BC0057
└ h17:languageCode	CS	0 ... 1			CONF-BC0057
	CONF	The value of @code shall be drawn from value set 2.16.840.1.113883.1.11.11526 <i>HumanLanguage</i> (DYNAMIC)			
└ h17:modeCode	CE	0 ... 1			CONF-BC0057
	CONF	The value of @code shall be drawn from value set 2.16.840.1.113883.1.11.12249 <i>LanguageAbilityMode</i> (DYNAMIC)			
└ h17:proficiencyLevelCode	CE	0 ... 1			CONF-BC0057

Item	DT	Card	Conf	Description	Label
	CONF			The value of @code shall be drawn from value set 2.16.840.1.113883.1.11.12199 <i>LanguageAbilityProficiency</i> (DYNAMIC)	
└ h17:preferenceInd	BL	0 ... 1			CONF-BC0057

4.2.4 ○ BC CDA relatedDocument 2.16.840.1.113883.3.51.60.1.13 - 2016-04-03 18:42:44 ref (from repository: bccdae2e-)

Id	2.16.840.1.113883.3.51.60.1.13 ref (from repository: bccdae2e-)	Effective Date	valid from 2016-04-03 18:42:44							
Status	 Draft	Version Label								
Name	BCCDArelatedDocument	Display Name	BC CDA relatedDocument							
Description	Template CDA relatedDocument (prototype, directly derived from POCD_RM000040 MIF)									
Classification	CDA Header Level Template									
Open/Closed	Open (other than defined elements are allowed)									
Used by / Uses	Used by 1 template, Uses 0 templates									
	<table border="1"> <thead> <tr> <th>Used by Template id</th> <th>as</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>2.16.840.1.113883.3.51.60.2.5.1</td> <td></td> <td>BC CDA ClinicalDocumentMedicalImaging</td> <td>2016-10-09 02:16:30</td> </tr> </tbody> </table>	Used by Template id	as	Name	Version	2.16.840.1.113883.3.51.60.2.5.1		BC CDA ClinicalDocumentMedicalImaging	2016-10-09 02:16:30	
Used by Template id	as	Name	Version							
2.16.840.1.113883.3.51.60.2.5.1		BC CDA ClinicalDocumentMedicalImaging	2016-10-09 02:16:30							
Relationship	Specialization: template 2.16.840.1.113883.10.12.111 (2005-09-07)									










Item	DT	Card	Conf	Description	Label
h17:relatedDocument		0 ... 2			CONF-BC0125
└ @typeCode	cs	1 ... 1	R		CONF-BC0126
	CONF			The value of @typeCode shall be drawn from value set 2.16.840.1.113883.1.11.11610 <i>x_ActRelationshipDocument</i> (DYNAMIC)	

Item	DT	Card	Conf	Description	Label
└ h17:parentDocument		1 ... 1	M		CONF-BC0127
└ @classCode	cs	1 ... 1	F	DOCCLIN	
└ @moodCode	cs	1 ... 1	F	EVN	
└ h17:id	II	1 ... 1	M		CONF-BC0556, CONF-BC0557, CONF-BC0558, CONF-BC0527
	Constraint	<p>ClinicalDocument/relatedDocument/ParentDocument/id/@root SHALL be the ClinicalDocument/Id/@root for the document it relates to.</p> <p>ClinicalDocument/relatedDocument/ParentDocument/id/@extension SHALL be the ClinicalDocument/Id/@extension for the document it relates to</p> <p>ClinicalDocument/relatedDocument/ParentDocument/id/@assigningAuthorityName SHALL be the ClinicalDocument/Id/@assigningAuthorityName for the document it relates to.</p>			
└ h17:code	CD	0 ... 1			CONF-BC0127
└ @codeSystem	CONF	1 ... 1	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
└ h17:text	ED	0 ... 1			CONF-BC0128
	Constraint	<p>parentDocumentMAY contain the text element with the text.mediaType attribute set to indicate the MIME type of the related document.</p>			







Item	DT	Card	Conf	Description	Label
				<p>The related document SHALL NOT be embedded in parentDocument/text element.</p> <p>When sending a relatedDocument, the ClinicalDocument/relatedDocument.typeCode SHALL be present, set at the value of "RPLC" for the original version of the document, and in the instance of a replacement document the versionNumberif present, SHALL be an increment of 1 from the document version it replaces.</p> <p>Replacement documents are meant to completely replace the previous version of a document, and as such SHALL NOT be handled as addendums in receiving systems.</p> <p>Replacement documents SHALL represent a transitive relationship, where document A.1 can be replaced by A.2, A.2 can be replaced by A.3, and so on. Multiple documents SHALL NOT replace the same document; i.e. A.1 being replaced by A.2 and also by A.3.</p> <p>Receiving systems MAY retain parent documents that are considered superseded for historical and auditing purposes. If parent documents are maintained, the receiving system SHALL very clearly identify the parent document as superseded by a more current version of the document.</p>	
└ h17:setId	II	0 ... 1			CONF-BC0127
└ h17:versionNumber	INT	0 ... 1			CONF-BC0127

4.2.5 ○ BC CDA Person 2.16.840.1.113883.3.51.60.1.5.2 - 2016-04-01 08:37:50 ref (from repository: bccdae2e-)

Id	2.16.840.1.113883.3.51.60.1.5.2 ref (from repository: bccdae2e-)	Effective Date	valid from 2016-04-01 08:37:50
----	----------------------------------------------------------------------------------------------------------------------------------	----------------	--------------------------------

Status	 Draft		Version Label		
Name	BCDAPerson		Display Name	BC CDA Person	
Description	Template CDA Person (prototype, directly derived from POCD_RM000040 MIF)				
Classification	CDA Header Level Template				
Open/Closed	Open (other than defined elements are allowed)				
Used by / Uses	Used by 6 templates, Uses 0 templates				
	Used by Template id	as	Name	Version	
	2.16.840.1.113883.3.51.60.1.4		 BC CDA author	2016-03-24 21:39:22	
	2.16.840.1.113883.3.51.60.2.5.1		 BC CDA ClinicalDocumentMedicalImaging	2016-10-09 02:16:30	
	2.16.840.1.113883.3.51.60.1.5		 BC CDA informationRecipient	2016-03-24 21:50:27	
	2.16.840.1.113883.3.51.60.1.7.1		 BC CDA assignedEntity	2016-03-27 08:59:41	
	2.16.840.1.113883.3.51.60.1.7		 BC CDA dataEnterer	2016-03-26 17:50:21	
2.16.840.1.113883.3.51.60.1.9.1	Containment	 BC CDA primarycarephysician	2016-08-24 12:30:58		
Relationship	Specialization: template 2.16.840.1.113883.10.12.152 (2005-09-07)				
Item	DT	Card	Conf	Description	Label
@classCode	cs	1 ... 1	F	PSN	CONF-BC0519
@determinerCode	cs	1 ... 1	F	INSTANCE	CONF-BC0519
h17:name	PN.CA	1 ... *	M		CONF-BC0100
	Constraint	assignedEntity/assignedPerson.name element SHALL conform to the constraints in the common section on names			





4.2.6  BC MI Findings Section 2.16.840.1.113883.10.20.6.1.2.1 - 2016-12-15 06:29:44 (1.1)

Id	2.16.840.1.113883.10.20.6.1.2.1	Effective Date	valid from 2016-12-15 06:29:44		
Status	 Draft	Version Label	1.1		
Name	BCFindingsSection2	Display Name	BC MI Findings Section		
Description	The findings section for Diagnostic Imaging Report - Medical Imaging				
Context	Parent nodes of template element with id 2.16.840.1.113883.10.20.6.1.2.1				
Classification	CDA Section Level Template				
Open/Closed	Open (other than defined elements are allowed)				
Used by / Uses	Used by 1 template, Uses 4 templates				
	Used by Template id	as	Name		
	2.16.840.1.113883.3.51.60.2.5.1	Containment	 BC CDA ClinicalDocumentMedicalImaging		
			Version		
			2016-10-09 02:16:30		
Uses Template id	as	Name	Version		
2.16.840.1.113883.10.20.6.2.13	Containment	 Code Observations (2.1)	DYNAMIC		
2.16.840.1.113883.10.20.6.2.14	Containment	 Quantity Measurement Observation (2.1)	DYNAMIC		
2.16.840.1.113883.10.20.6.2.12	Containment	 Text Observation (2.1)	DYNAMIC		
2.16.840.1.113883.10.20.6.2.8	Containment	 SOP Instance Observation (2.1)	DYNAMIC		
Relationship	Adaptation: template 2.16.840.1.113883.10.20.22.2.37 (2016-10-09 02:01:42)				
Item	DT	Card	Conf	Description	Label
cda:section		1 .. 1	M		CONF-9484
└ cda:templateId	II	1 .. 1	M		CONF-BC0244
└ @root	uid	1 .. 1	F	2.16.840.1.113883.10.20.6.1.2.1	CONF-BC0244

Item	DT	Card	Conf	Description	Label
└ cda:code	CE	1 .. 1	M		CONF-BC0245
└ @code	CONF	1 .. 1	F	121070	
└ @codeSystem		1 .. 1	F	2.16.840.1.113883.6.3 (ICD10)	
└ cda:title	ST	1 .. 1	R	SHALL contain exactly one [1..1] title (CONF:8176).	CONF-BC0246
└ cda:text	SD.TEXT	1 .. 1	M	SHALL contain exactly one [1..1] text (CONF:8177).	CONF-BC0247
└ cda:entry		0 .. *		Contains 2.16.840.1.113883.10.20.6.2.13 <i>Code Observations</i> (DYNAMIC)	CONF-8532
where [cda:observation [hl7:templateId [@root='2.16.840.1.113883.10.20.6.2.13']]]					
	Constraint	This section SHOULD contain only the direct observations in the report, with topics such as Reason for Study, History, and Impression placed in separate sections. However, in cases where the source of report content provides a single block of text not separated into these sections, that text SHALL be placed in the Findings section.			
└ cda:entry		0 .. *		Contains 2.16.840.1.113883.10.20.6.2.14 <i>Quantity Measurement Observation</i> (DYNAMIC)	CONF-8532
where [cda:observation [hl7:templateId [@root='2.16.840.1.113883.10.20.6.2.14']]]					
	Constraint	This section SHOULD contain only the direct observations in the report, with topics such as Reason for Study, History, and Impression placed in separate sections. However, in cases where the source of report content provides a single block of text not separated into these sections, that text SHALL be placed in the Findings section.			
└ cda:entry		0 .. *		Contains 2.16.840.1.113883.10.20.6.2.12 <i>Text Observation</i> (DYNAMIC)	CONF-8532
where [cda:observation [hl7:templateId [@root='2.16.840.1.113883.10.20.6.2.12']]]					
	Constraint	This section SHOULD contain only the direct observations in the report, with topics such as Reason for Study, History, and Impression placed in separate sections. However, in cases where the source of report content provides a single block of text not separated into these sections, that text SHALL be placed in the Findings section.			

Item	DT	Card	Conf	Description	Label
<code>cda:entry</code>		0 ... *		Contains 2.16.840.1.113883.10.20.6.2.8 SOP Instance Observation (DYNAMIC)	CONF-8532
where <code>[cda:observation [cda:code/@codeSystem='1.2.840.10008.2.6.1'] [hl7:templateId [@root='2.16.840.1.113883.10.20.6.2.8']]]</code>					
		Constraint	This section SHOULD contain only the direct observations in the report, with topics such as Reason for Study, History, and Impression placed in separate sections. However, in cases where the source of report content provides a single block of text not separated into these sections, that text SHALL be placed in the Findings section.		

4.2.7  BC CDA authenticator 2.16.840.1.113883.3.51.60.1.8 - 2016-03-23 21:26:07  (from repository: bccdae2e-)





Id	2.16.840.1.113883.3.51.60.1.8  (from repository: bccdae2e-)	Effective Date	valid from 2016-03-23 21:26:07
Status	 Draft	Version Label	
Name	BcCDAauthenticator	Display Name	BC CDA authenticator
Description	Template CDA authenticator (prototype, directly derived from POCD_RM000040 MIF)		
Classification	CDA Header Level Template		
Open/Closed	Open (other than defined elements are allowed)		
	Used by 1 template, Uses 1 template		
Used by / Uses	Used by Template id	as	Name
	2.16.840.1.113883.3.51.60.2.5.1		 BC CDA ClinicalDocumentMedicalImaging
	Uses Template id	as	Name
	2.16.840.1.113883.10.12.153	Containment	 CDA AssignedEntity
Relationship	Specialization: template 2.16.840.1.113883.10.12.107 (2005-09-07)		

Item	DT	Card	Conf	Description	Label
<code>h17:authenticator</code>		0 ... *			CONF-BC0096

Item	DT	Card	Conf	Description	Label
└ @typeCode	cs	1 .. 1	F	AUTHEN	
└ h17:time	TS	1 .. 1	R		CONF-BC0096
	Constraint			time SHALL be precise to the day and SHOULD be precise to the minute and, if more precise than the day, SHALL include a time zone offset	
└ h17:signatureCode	CS	1 .. 1	R		CONF-BC0096
	CONF			The value of @code shall be drawn from value set 2.16.840.1.113883.1.11.10282 ParticipationSignature (DYNAMIC)	
└ h17:assignedEntity		1 .. 1	R	Contains 2.16.840.1.113883.10.12.153 CDA AssignedEntity (DYNAMIC)	CONF-BC0096







4.2.8 ○ CDA AssignedEntity 2.16.840.1.113883.10.12.153 - 2005-09-07 ^{ref} (from repository: ad1bbr-)

Id	2.16.840.1.113883.10.12.153 ^{ref} (from repository: ad1bbr-)	Effective Date	valid from 2005-09-07												
Status	● Active	Version Label													
Name	CDAAssignedEntity	Display Name	CDA AssignedEntity												
Description	Template CDA AssignedEntity (prototype, directly derived from POCD_RM000040 MIF)														
Classification	CDA Header Level Template														
Open/Closed	Open (other than defined elements are allowed)														
	Used by 4 templates, Uses 2 templates														
Used by / Uses	<table border="1"> <thead> <tr> <th>Used by Template id</th> <th>as</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>2.16.840.1.113883.3.51.60.1.10</td> <td>Containment</td> <td>● BC CDA documentationOf</td> <td>2016-03-27 09:05:07</td> </tr> <tr> <td>2.16.840.1.113883.3.51.60.2.5.1 </td> <td></td> <td>● BC CDA ClinicalDocumentMedicalImaging</td> <td>2016-10-09 02:16:30</td> </tr> </tbody> </table>	Used by Template id	as	Name	Version	2.16.840.1.113883.3.51.60.1.10	Containment	● BC CDA documentationOf	2016-03-27 09:05:07	2.16.840.1.113883.3.51.60.2.5.1		● BC CDA ClinicalDocumentMedicalImaging	2016-10-09 02:16:30		
Used by Template id	as	Name	Version												
2.16.840.1.113883.3.51.60.1.10	Containment	● BC CDA documentationOf	2016-03-27 09:05:07												
2.16.840.1.113883.3.51.60.2.5.1		● BC CDA ClinicalDocumentMedicalImaging	2016-10-09 02:16:30												

2.16.840.1.113883.3.51.60.1.11	Containment		BC CDA componentOf	2016-03-27 09:09:45
2.16.840.1.113883.3.51.60.1.8	Containment		BC CDA authenticator	2016-03-23 21:26:07
Uses Template id	as	Name		Version
2.16.840.1.113883.10.12.152	Containment		CDA Person	DYNAMIC
2.16.840.1.113883.10.12.151	Containment		CDA Organization	DYNAMIC

Item	DT	Card	Conf	Description	Label
@classCode		0 .. 1	F	ASSIGNED	
h17:id	II	1 .. *	R		(CDAAssignedEntity)
h17:code	CE	0 .. 1			(CDAAssignedEntity)
└ @codeSystem	CONF	1 .. 1	F	2.16.840.1.113883.5.111 (Role Code)	
h17:addr	AD	0 .. *			(CDAAssignedEntity)
h17:telecom	TEL	0 .. *			(CDAAssignedEntity)
h17:assignedPerson		0 .. 1		Contains 2.16.840.1.113883.10.12.152 CDA Person (DYNAMIC)	(CDAAssignedEntity)
h17:representedOrganization		0 .. 1		Contains 2.16.840.1.113883.10.12.151 CDA Organization (DYNAMIC)	(CDAAssignedEntity)




4.2.9  BC CDA assignedEntity 2.16.840.1.113883.3.51.60.1.7.1 - 2016-03-27 08:59:41  (from repository: bccdae2e-)

Id	2.16.840.1.113883.3.51.60.1.7.1  (from repository: bccdae2e-)	Effective Date	valid from 2016-03-27 08:59:41
Status	 Draft	Version Label	
Name	CDAAssignedEntity	Display Name	BC CDA assignedEntity
Description	Template CDA AssignedEntity (prototype, directly derived from POCD_RM000040 MIF)		
Classification	CDA Header Level Template		
Open/Closed	Open (other than defined elements are allowed)		
Used by / Uses	Used by 2 templates, Uses 1 template		
	Used by Template id	as	Name
	2.16.840.1.113883.3.51.60.1.7	Containment	 BC CDA dataEnterer
	2.16.840.1.113883.3.51.60.2.5.1 		 BC CDA ClinicalDocumentMedicalImaging
	Uses Template id	as	Name
2.16.840.1.113883.3.51.60.1.5.2	Include	 BC CDA Person	
Relationship	Specialization: template 2.16.840.1.113883.10.12.153 (2005-09-07)		

Item	DT	Card	Conf	Description	Label
@classCode	cs	1 ... 1	F	ASSIGNED	CONF-BC0517
h17:id	II	1 ... *	R		CONF-BC0091
	Constraint	If the assigned is a provider, the id elements SHALL conform to section 4.2.1.3.			
h17:addr	AD.CA	0 ... *			CONF-BC0092
	Constraint	If present, addr SHALL conform to the restrictions for the described in common elements for addresses.			

Item	DT	Card	Conf	Description	Label
h17:telecom	TEL.CA.PHONE	0 ... *			CONF-BC0093
	Constraint	If present, telecom SHALL conform to the restrictions for the pan-Canadian data type flavor TEL.CA.PHONE or TEL.CA.EMAIL			
h17:assignedPerson		1 ... 1	M		CONF-BC0094
Included		0 ... *		from 2.16.840.1.113883.3.51.60.1.5.2 BC CDA Person (DYNAMIC)	
└ @classCode	cs	1 ... 1	F	PSN	CONF-BC0519
└ @determinerCode	cs	1 ... 1	F	INSTANCE	CONF-BC0519
└ h17:name	PN.CA	0 ... *	R		CONF-BC0100
	Constraint	assignedEntity/assignedPerson.name element SHALL conform to the constraints in the common section on names			

4.2.10  CDA Organization 2.16.840.1.113883.10.12.151 - 2005-09-07  (from repository: ad1bbr-)

Id	2.16.840.1.113883.10.12.151  (from repository: ad1bbr-)	Effective Date	valid from 2005-09-07
Status	 Active	Version Label	
Name	CDAOrganization	Display Name	CDA Organization
Description	Template CDA Organization (prototype, directly derived from POCD_RM000040 MIF)		
Classification	CDA Header Level Template		
Open/Closed	Open (other than defined elements are allowed)		
Used by / Uses	Used by 5 templates, Uses 0 templates		
	Used by Template id	as	Name
	2.16.840.1.113883.10.12.153	Containment	 CDA AssignedEntity
			Version
			2005-09-07





	2.16.840.1.113883.3.51.60.1.10		 BC CDA documentationOf	2016-03-27 09:05:07
	2.16.840.1.113883.3.51.60.2.5.1		 BC CDA ClinicalDocumentMedicalImaging	2016-10-09 02:16:30
	2.16.840.1.113883.3.51.60.1.11		 BC CDA componentOf	2016-03-27 09:09:45
	2.16.840.1.113883.3.51.60.1.8		 BC CDA authenticator	2016-03-23 21:26:07

Item	DT	Card	Conf	Description	Label
@classCode		0 .. 1	F	ORG	
@determinerCode		0 .. 1	F	INSTANCE	
h17:id	II	0 .. *			(CDAOrganization)
h17:name	ON	0 .. *			(CDAOrganization)
h17:telecom	TEL	0 .. *			(CDAOrganization)
h17:addr	AD	0 .. *			(CDAOrganization)
h17:standardIndustryClassCode	CE	0 .. 1		SHALL be chosen from domain OrganizationIndustryClass	(CDAOrganization)
h17:asOrganizationPartOf		0 .. 1			(CDAOrganization)
└ @classCode		0 .. 1	F	PART	
└ h17:id	II	0 .. *	R		(CDAOrganization)
└ h17:code	CE	0 .. 1			(CDAOrganization)

Item	DT	Card	Conf	Description	Label
└ @codeSystem	CONF	1 .. 1	F	2.16.840.1.113883.5.111 (Role Code)	
└ h17:statusCode	CS	0 .. 1			(CDAOrganization)
	CONF	The value of @code shall be drawn from value set 2.16.840.1.113883.1.11.15999 RoleStatus (DYNAMIC)			
└ h17:effectiveTime	IVL_TS	0 .. 1			(CDAOrganization)
└ h17:wholeOrganization		0 .. 1			(CDAOrganization)
└ @classCode		0 .. 1	F	ORG	
└ @determinerCode		0 .. 1	F	INSTANCE	
└ h17:id	II	0 .. *			(CDAOrganization)
└ h17:name	ON	0 .. *			(CDAOrganization)
└ h17:telecom	TEL	0 .. *			(CDAOrganization)
└ h17:addr	AD	0 .. *			(CDAOrganization)
└ h17:standardIndustryClassCode	CE	0 .. 1		SHALL be chosen from domain OrganizationIndustryClass	(CDAOrganization)



4.2.11 ○ BC CDA Organization 2.16.840.1.113883.3.51.60.1.5.1 - 2016-04-03 01:53:40 ref (from repository: bccdae2e-)

Id	2.16.840.1.113883.3.51.60.1.5.1 ref (from repository: bccdae2e-)	Effective Date	valid from 2016-04-03 01:53:40
-----------	-------------------------------------------------------------------------------	-----------------------	--------------------------------

Status	 Draft	Version Label	
Name	CDAOrganization	Display Name	BC CDA Organization
Description	Template CDA Organization (prototype, directly derived from POCD_RM000040 MIF)		
Classification	CDA Header Level Template		
Open/Closed	Open (other than defined elements are allowed)		
Used by / Uses	Used by 2 templates, Uses 0 templates		
	Used by Template id	as	Name
	2.16.840.1.113883.3.51.60.1.5		BC CDA informationRecipient
2.16.840.1.113883.3.51.60.2.5.1	 	BC CDA ClinicalDocumentMedicalImaging	2016-10-09 02:16:30
Relationship	Specialization: template 2.16.840.1.113883.10.12.151 (2005-09-07)		

Item	DT	Card	Conf	Description	Label
@classCode	cs	1 ... 1	F	ORG	CONF-BC0533
@determinerCode	cs	1 ... 1	F	INSTANCE	
h17:id	II	1 ... *	M		(CDAOrganization)
h17:name	ON	1 ... 1	M		CONF-BC0534

4.2.12  CDA Person 2.16.840.1.113883.10.12.152 - 2005-09-07  (from repository: ad1bbr-)

Id	2.16.840.1.113883.10.12.152  (from repository: ad1bbr-)	Effective Date	valid from 2005-09-07
Status	 Active	Version Label	
Name	CDAPerson	Display Name	CDA Person
Description	Template CDA Person (prototype, directly derived from POCD_RM000040 MIF)		
Classification	CDA Header Level Template		

Open/Closed	Open (other than defined elements are allowed)				
Used by / Uses	Used by 5 templates, Uses 0 templates				
	Used by Template id	as		Name	Version
	2.16.840.1.113883.10.12.153	Containment		CDA AssignedEntity	2005-09-07
	2.16.840.1.113883.3.51.60.1.10			BC CDA documentationOf	2016-03-27 09:05:07
	2.16.840.1.113883.3.51.60.2.5.1			BC CDA ClinicalDocumentMedicalImaging	2016-10-09 02:16:30
	2.16.840.1.113883.3.51.60.1.11			BC CDA componentOf	2016-03-27 09:09:45
2.16.840.1.113883.3.51.60.1.8			BC CDA authenticator	2016-03-23 21:26:07	

Item	DT	Card	Conf	Description	Label
@classCode		0 .. 1	F	PSN	
@determinerCode		0 .. 1	F	INSTANCE	
h17:name	PN	0 .. *			(CDAPerson)

4.2.13 BC CDA author 2.16.840.1.113883.3.51.60.1.4 - 2016-03-24 21:39:22 (from repository: bccdae2e-)








Id	2.16.840.1.113883.3.51.60.1.4 (from repository: bccdae2e-)	Effective Date	valid from 2016-03-24 21:39:22
Status	Draft	Version Label	
Name	CDAauthor	Display Name	BC CDA author
Description	Template CDA author (prototype, directly derived from POCD_RM000040 MIF)s		
Classification	CDA Header Level Template		
Open/Closed	Open (other than defined elements are allowed)		

Used by / Uses	Used by 1 template, Uses 2 templates				
	Used by Template id	as	Name		Version
	2.16.840.1.113883.3.51.60.2.5.1		BC CDA ClinicalDocumentMedicalImaging		2016-10-09 02:16:30
	Uses Template id	as	Name		Version
	2.16.840.1.113883.3.51.60.1.5.2	Include	BC CDA Person		DYNAMIC
	2.16.840.1.113883.3.51.60.1.21	Include	BC CDA Device		DYNAMIC
Relationship	Specialization: template 2.16.840.1.113883.10.12.102 (2005-09-07)				
Item	DT	Card	Conf	Description	Label
h17:author		1 .. *	M		CONF-BC0058
└ @typeCode	cs	1 .. 1	F	AUT	CONF-BC0510
└ @contextControlCode	cs	1 .. 1	F	OP	CONF-BC0510
└ h17:time	TS	1 .. 1	M		CONF-BC0059, CONF-BC0060
	Constraint	The author/time.value SHALL be precise to the day and SHOULD be precise to the minute. If more precise than the day, SHALL include a time zone offset. This represents the date/time that the clinical document was dictated by the assignedPerson. In instances where the clinical document is authored by an assignedAuthoringDevice, this date/time represents the time that the document was created by the device. (e.g. ECG auto-interpretation)			
└ h17:assignedAuthor		1 .. 1	M		CONF-BC0061
└ @classCode	cs	1 .. 1	F	ASSIGNED	CONF-BC0511
└ h17:id	II	1 .. *	M		CONF-BC0062, CONF-BC0063, CONF-BC0064
	Constraint	If the author is a Provider, the id elements SHALL conform to section 4.2.1.3.			

Item	DT	Card	Conf	Description	Label	
		If the author is a not a Provider, assignedAuthor/id MAY be a locally assigned identifier				
└ h17:code	CE	0 ... 1			CONF-BC0061	
└ @codeSystem	CONF	1 ... 1	F	2.16.840.1.113883.5.111 (Role Code)		
└ h17:addr	AD.CA	0 ... *			CONF-BC0061	
└ h17:telecom	TEL.CA.PHONE	0 ... *			CONF-BC0061	
Choice		0 ... 1		Elements to choose from: <ul style="list-style-type: none"> ▪ hl7:assignedPerson ▪ hl7:assignedAuthoringDevice 		
└ hl7:assignedPerson		0 ... 1	R		CONF-BC0065	
Included				from 2.16.840.1.113883.3.51.60.1.5.2 BC CDA Person (DYNAMIC)		
└ @classCode	cs	1 ... 1	F	PSN	CONF-BC0519	
└ @determinerCode	cs	1 ... 1	F	INSTANCE	CONF-BC0519	
└ hl7:name	PN.CA	1 ... *	R		CONF-BC0100	
	Constraint	assignedEntity/assignedPerson.name element SHALL conform to the constraints in the common section on names				
└ hl7:assignedAuthoringDevice		0 ... 1	R		CONF-BC0065	
Included				from 2.16.840.1.113883.3.51.60.1.21 BC CDA Device (DYNAMIC)		






Item	DT	Card	Conf	Description	Label
└ @classCode	cs	1 .. 1	F	DEV	
└ @determinerCode	cs	1 .. 1	F	INSTANCE	
└ h17:code	CE	0 .. 1			CONF-BC0065
	CONF	The value of @code shall be drawn from value set 2.16.840.1.113883.1.11.16040 <i>EntityCode</i> (DYNAMIC)			
└ h17:manufacturerModelName	SC	0 .. 1			CONF-BC0065
└ h17:softwareName	SC	0 .. 1			CONF-BC0065

4.2.14 ○ BC CDA componentOf 2.16.840.1.113883.3.51.60.1.11 - 2016-03-27 09:09:45 ref (from repository: bccdae2e-)

Id	2.16.840.1.113883.3.51.60.1.11 ref (from repository: bccdae2e-)	Effective Date	valid from 2016-03-27 09:09:45								
Status	 Draft	Version Label									
Name	CDAcomponentOf	Display Name	BC CDA componentOf								
Description	Template CDA componentOf (prototype, directly derived from POCD_RM000040 MIF)										
Classification	CDA Header Level Template										
Open/Closed	Open (other than defined elements are allowed)										
	Used by 1 template, Uses 1 template										
Used by / Uses	<table border="1"> <thead> <tr> <th>Used by Template id</th> <th>as</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>2.16.840.1.113883.3.51.60.2.5.1</td> <td></td> <td> BC CDA ClinicalDocumentMedicalImaging</td> <td>2016-10-09 02:16:30</td> </tr> </tbody> </table>	Used by Template id	as	Name	Version	2.16.840.1.113883.3.51.60.2.5.1		 BC CDA ClinicalDocumentMedicalImaging	2016-10-09 02:16:30		
	Used by Template id	as	Name	Version							
2.16.840.1.113883.3.51.60.2.5.1		 BC CDA ClinicalDocumentMedicalImaging	2016-10-09 02:16:30								
<table border="1"> <thead> <tr> <th>Uses Template id</th> <th>as</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>2.16.840.1.113883.10.12.153</td> <td>Containment</td> <td> CDA AssignedEntity</td> <td>DYNAMIC</td> </tr> </tbody> </table>	Uses Template id	as	Name	Version	2.16.840.1.113883.10.12.153	Containment	 CDA AssignedEntity	DYNAMIC			
Uses Template id	as	Name	Version								
2.16.840.1.113883.10.12.153	Containment	 CDA AssignedEntity	DYNAMIC								
Relationship	Specialization: template 2.16.840.1.113883.10.12.113 (2005-09-07)										

Item	DT	Card	Conf	Description	Label
h17:componentOf		0 .. 1			(CDAcomponentOf)
└ @typeCode	cs	1 .. 1	F	COMP	CONF-BC0528
└ h17:encompassingEncounter		1 .. 1	R		CONF-BC0114
└ @classCode	cs	1 .. 1	F	ENC	CONF-BC0529
└ @moodCode	cs	1 .. 1	F	EVN	
└ h17:id	II	0 .. *			CONF-BC0114
└ h17:effectiveTime	IVL_TS	1 .. 1	R		CONF-BC0114
└ h17:responsibleParty		0 .. 1		Contains 2.16.840.1.113883.10.12.153 CDA AssignedEntity (DYNAMIC)	CONF-BC0116
└ @typeCode	cs	1 .. 1	F	RESP	CONF-BC0530
└ h17:encounterParticipant		0 .. *			CONF-BC0115
└ @typeCode	cs	1 .. 1	R		CONF-BC0117
	CONF	The value of @typeCode shall be drawn from value set 2.16.840.1.113883.1.11.19600 x_EncounterParticipant (DYNAMIC)			
	Constraint	MAY contain zero or more [0..*]encounterParticipantelements. If present, the encounterParticipant/assignedEntity element SHALL have at least one of assignedPerson or representedOrganization element present.			
└ h17:assignedEntity		1 .. 1	R	Contains 2.16.840.1.113883.10.12.153 CDA AssignedEntity (DYNAMIC)	CONF-BC0115









4.2.15  [BC CDA custodian 2.16.840.1.113883.3.51.60.1.6 - 2016-03-24 21:59:04](#)  (from repository: bccdae2e-)

Id	2.16.840.1.113883.3.51.60.1.6  (from repository: bccdae2e-)	Effective Date	valid from 2016-03-24 21:59:04							
Status	 Draft	Version Label								
Name	CDAcustodian	Display Name	BC CDA custodian							
Description	Template CDA custodian (prototype, directly derived from POCD_RM000040 MIF)									
Classification	CDA Header Level Template									
Open/Closed	Open (other than defined elements are allowed)									
Used by / Uses	Used by 1 template, Uses 0 templates									
	<table border="1"> <thead> <tr> <th>Used by Template id</th> <th>as</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>2.16.840.1.113883.3.51.60.2.5.1</td> <td></td> <td>BC CDA ClinicalDocumentMedicalImaging</td> <td>2016-10-09 02:16:30</td> </tr> </tbody> </table>	Used by Template id	as	Name	Version	2.16.840.1.113883.3.51.60.2.5.1		BC CDA ClinicalDocumentMedicalImaging	2016-10-09 02:16:30	
Used by Template id	as	Name	Version							
2.16.840.1.113883.3.51.60.2.5.1		BC CDA ClinicalDocumentMedicalImaging	2016-10-09 02:16:30							
Relationship	Specialization: template 2.16.840.1.113883.10.12.104 (2005-09-07)									

Item	DT	Card	Conf	Description	Label
h17:custodian		1 ... 1	M		CONF-BC0082
└ @typeCode	cs	1 ... 1	F	CST	CONF-BC0083
└ h17:assignedCustodian		1 ... 1	M		CONF-BC0084
└ @classCode	cs	1 ... 1	F	ASSIGNED	CONF-BC0514
└ h17:representedCustodianOrganization		1 ... 1	M		CONF-BC0085
└ @classCode	cs	1 ... 1	F	ORG	CONF-BC0515
└ @determinerCode	cs	1 ... 1	F	INSTANCE	CONF-BC0515



Item	DT	Card	Conf	Description	Label
└ h17:id	II	1 .. 1	M		CONF-BC0086
	Constraint	a.If the clinical document is generated from a Health Authority, this id SHALL contain the root OID of the Health Authority, and the facility id shall be used as the extension. b.If the clinical document is generated from an EMR, this id SHALL NOT contain the root OID of a Health Authority or of the BC Ministry of Health.			
└ h17:name	ON	0 .. 1			CONF-BC0087

4.2.16  BC CDA dataEnterer 2.16.840.1.113883.3.51.60.1.7 - 2016-03-26 17:50:21  (from repository: bccdae2e-)


Id	2.16.840.1.113883.3.51.60.1.7  (from repository: bccdae2e-)	Effective Date	valid from 2016-03-26 17:50:21								
Status	 Draft	Version Label									
Name	CDAdataEnterer	Display Name	BC CDA dataEnterer								
Description	Template CDA dataEnterer (prototype, directly derived from POCD_RM000040 MIF)										
Classification	CDA Header Level Template										
Open/Closed	Open (other than defined elements are allowed)										
	Used by 1 template, Uses 1 template										
Used by / Uses	<table border="1"> <thead> <tr> <th>Used by Template id</th> <th>as</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>2.16.840.1.113883.3.51.60.2.5.1</td> <td></td> <td> BC CDA ClinicalDocumentMedicalImaging</td> <td>2016-10-09 02:16:30</td> </tr> </tbody> </table>	Used by Template id	as	Name	Version	2.16.840.1.113883.3.51.60.2.5.1		 BC CDA ClinicalDocumentMedicalImaging	2016-10-09 02:16:30		
	Used by Template id	as	Name	Version							
2.16.840.1.113883.3.51.60.2.5.1		 BC CDA ClinicalDocumentMedicalImaging	2016-10-09 02:16:30								
<table border="1"> <thead> <tr> <th>Uses Template id</th> <th>as</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>2.16.840.1.113883.3.51.60.1.7.1</td> <td>Containment</td> <td> BC CDA assignedEntity</td> <td>DYNAMIC</td> </tr> </tbody> </table>	Uses Template id	as	Name	Version	2.16.840.1.113883.3.51.60.1.7.1	Containment	 BC CDA assignedEntity	DYNAMIC			
Uses Template id	as	Name	Version								
2.16.840.1.113883.3.51.60.1.7.1	Containment	 BC CDA assignedEntity	DYNAMIC								
Relationship	Specialization: template 2.16.840.1.113883.10.12.103 (2005-09-07)										

Item	DT	Card	Conf	Description	Label
h17:dataEnterer		0 ... 1			CONF-BC0088, CONF-BC0089
└ @typeCode	cs	1 ... 1	F	ENT	CONF-BC0516
└ @contextControlCode	cs	1 ... 1	F	OP	
	Constraint	if dataEnterer is not the same as the author, dataEnterer SHOULD be present			
└ h17:time	TS	1 ... 1	M		CONF-BC0088, CONF-BC0089
	Constraint	The dataEnterer/time.value SHALL be precise to the day and SHOULD be precise to the minute. If more precise than the day, SHALL include a time zone offset. This represents the date/time that the clinical document was transcribed by the dataEnterer.			
└ h17:assignedEntity		1 ... 1	M	Contains 2.16.840.1.113883.3.51.60.1.7.1 BC CDA assignedEntity (DYNAMIC)	CONF-BC0090
where [not(@nullFlavor)]					

4.2.17  BC CDA documentationOf 2.16.840.1.113883.3.51.60.1.10 - 2016-03-27 09:05:07  (from repository: bccdae2e-)

Id	2.16.840.1.113883.3.51.60.1.10  (from repository: bccdae2e-)	Effective Date	valid from 2016-03-27 09:05:07
Status	 Draft	Version Label	
Name	CDAdocumentationOf	Display Name	BC CDA documentationOf
Description	Template CDA documentationOf (prototype, directly derived from POCD_RM000040 MIF)		
Classification	CDA Header Level Template		
Open/Closed	Open (other than defined elements are allowed)		
Used by / Uses	Used by 1 template, Uses 1 template		
	Used by Template id	as	Name
			Version

2.16.840.1.113883.3.51.60.2.5.1

 BC CDA ClinicalDocumentMedicalImaging

2016-10-09
02:16:30

Uses Template id	as	Name	Version
2.16.840.1.113883.10.12.153	Containment	 CDA AssignedEntity	DYNAMIC







Relationship

Specialization: template 2.16.840.1.113883.10.12.110 (2005-09-07)

Item	DT	Card	Conf	Description	Label
h17:documentationOf		0 ... *	R		CONF-BC0520
└ @typeCode	cs	1 ... 1	F	DOC	
	Constraint	documentationOf/serviceEventMAY be present. Where present, serviceEvent SHALL conform to the requirements specified in the general BC header definition.			
└ h17:serviceEvent		1 ... 1	M		CONF-BC0103
└ @classCode	cs	1 ... 1	F	ACT	CONF-BC0521
└ @moodCode	cs	1 ... 1	F	EVN	
└ h17:id	II	0 ... *			CONF-BC0103
└ h17:code	CE	0 ... 1			CONF-BC0103
	Constraint	The value of ServiceEvent/code SHOULD be from the SNOMED CT (codeSystem 2.16.840.1.113883.6.96) ValueSet Procedure 2.16.840.1.113883.3.88.12.80.28 DYNAMIC, or the value of ServiceEvent/code MAY be from ICD10-CA (codeSystem 2.16.840.1.113881.6.94) or CCI (codeSystem 2.16.840.1.113883.6.94).			
└ @codeSystem	CONF	1 ... 1	F	2.16.840.1.113883.5.4 (Act Code)	

Item	DT	Card	Conf	Description	Label
└ h17:effectiveTime	IVL_TS	1 ... 1	M		CONF-BC0103
└ h17:performer		0 ... *			CONF-BC0104
└ @typeCode	cs	1 ... 1	R		CONF-BC0105
	Constraint	If present, performer SHALL contain the typeCode attribute whose value SHALL be either "PPRF" (primary performer) or "SPRF" (secondary performer).			
└ h17:assignedEntity		1 ... 1	M	Contains 2.16.840.1.113883.10.12.153 CDA AssignedEntity (DYNAMIC)	CONF-BC0106
where [not(@nullFlavor)]					





4.2.18  BC CDA inFulfillmentOf 2.16.840.1.113883.3.51.60.1.12 - 2016-03-27 09:03:45  (from repository: bccdae2e-)

Id	2.16.840.1.113883.3.51.60.1.12  (from repository: bccdae2e-)	Effective Date	valid from 2016-03-27 09:03:45						
Status	 Draft	Version Label							
Name	CDAinFulfillmentOf	Display Name	BC CDA inFulfillmentOf						
Description	Template CDA inFulfillmentOf (prototype, directly derived from POCD_RM000040 MIF)								
Classification	CDA Header Level Template								
Open/Closed	Open (other than defined elements are allowed)								
Used by / Uses	Used by 1 template, Uses 0 templates								
	<table border="1"> <thead> <tr> <th>Used by Template id</th> <th>as</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>2.16.840.1.113883.3.51.60.2.5.1</td> <td></td> <td>BC CDA ClinicalDocumentMedicalImaging</td> <td>2016-10-09 02:16:30</td> </tr> </tbody> </table>	Used by Template id	as	Name	Version	2.16.840.1.113883.3.51.60.2.5.1		BC CDA ClinicalDocumentMedicalImaging	2016-10-09 02:16:30
Used by Template id	as	Name	Version						
2.16.840.1.113883.3.51.60.2.5.1		BC CDA ClinicalDocumentMedicalImaging	2016-10-09 02:16:30						
Relationship	Specialization: template 2.16.840.1.113883.10.12.109 (2005-09-07)								
	There is an open issue with this item: <ul style="list-style-type: none"> ▪ bccdapilot-issue-1: Order.code value set (Open) 								

Item	DT	Card	Conf	Description	Label
h17:inFulfillmentOf		0 ... *			(CDAinFulfillmentOf)
└ @typeCode	cs	1 ... 1	F	FLFS	CONF-BC0524
				<p>The inFulfillmentOf/order element MAY be present and represents the Placer Order (HL7 V2: ORC-2) or the Placer Group (HL7 V2: ORC-4) that was fulfilled, the identifier of which is carried in inFulfillmentOf/order/id. When present, these elements conform to the constraints described in the general header section of this guide.</p> <p>Constraint</p> <p>If the inFulfillmentOf/order element is present, it SHALL contain exactly one [1..1] statusCode(HL7 V2: ORC-5), which represents the status code of the order. Therefore, if present, code.codeSystem SHALL contain "statusCode" and code.code SHALL contain "completed," "active," or "aborted."</p>	
└ h17:order		1 ... 1	M		CONF-BC0123
└ @classCode	cs	1 ... 1	F	ACT	CONF-BC0525
└ @moodCode	cs	1 ... 1	F	RQO	
└ h17:id	II	1 ... *	M		CONF-BC0124
└ h17:code	CE	0 ... 1			CONF-BC0526
				<p>inFulfillmentOf/order element MAY contain one [0..1] code element. If present, code SHALL contain the status code of the order. Therefore, if present, code.codeSystem SHALL contain "statusCode" and code.code SHALL contain "completed," "active," or "aborted."</p>	

4.2.19 ○ BC CDA informationRecipient 2.16.840.1.113883.3.51.60.1.5 - 2016-03-24 21:50:27 ref (from repository: bccdae2e-)

Id	2.16.840.1.113883.3.51.60.1.5 ref (from repository: bccdae2e-)	Effective Date	valid from 2016-03-24 21:50:27
----	------------------------------------------------------------------------------------------------------------------------------	----------------	--------------------------------



Status	 Draft	Version Label	
Name	CDainformationRecipient	Display Name	BC CDA informationRecipient
Description	Template CDA informationRecipient (prototype, directly derived from POCD_RM000040 MIF)		
Classification	CDA Header Level Template		
Open/Closed	Open (other than defined elements are allowed)		
Used by / Uses	Used by 1 template, Uses 2 templates		
	Used by Template id	as	Name
	2.16.840.1.113883.3.51.60.2.5.1		 BC CDA ClinicalDocumentMedicalImaging
	Uses Template id	as	Name
2.16.840.1.113883.3.51.60.1.5.2	Include	 BC CDA Person	DYNAMIC
2.16.840.1.113883.3.51.60.1.5.1	Include	 BC CDA Organization	DYNAMIC
Relationship	Specialization: template 2.16.840.1.113883.10.12.105 (2005-09-07)		

Item	DT	Card	Conf	Description	Label
h17:informationRecipient		0 ... *			CONF-BC0070, CONF-BC0071
└ @typeCode	cs	1 ... 1	R		
	Constraint	informationRecipient SHALL have the attribute typeCode which SHALL be either "PRCP" (primary recipient) or "TRC" (secondary recipient), from HL7 Value Set x_InformationRecipient. There SHALL be at least one [1..*] primary recipient ("PRCP").			
└ h17:intendedRecipient		1 ... 1	M		CONF-BC0072
└ @classCode	cs	1 ... 1	F	ASSIGNED	CONF-BC0074

Item	DT	Card	Conf	Description	Label
└ h17:id	II	1 .. 2	R		CONF-BC0073, CONF-BC0075, CONF-BC0076
	Constraint	<p>If the informationRecipient is a Provider, the id elements SHALL conform to section 4.2.1.3.</p> <p>If the informationRecipient is a not a Provider, intendedRecipient/id.extension MAY be a locally assigned identifier</p>			
└ h17:addr	AD.CA	0 .. *			CONF-BC0077
	Constraint	If present, intendedRecipient/addr SHALL conform to the restrictions for the described in common elements for addresses.			
└ h17:telecom	TEL.CA.PHONE	0 .. *			CONF-BC0078
	Constraint	If present, telecom SHALL conform to the restrictions for the pan-Canadian data type flavor TEL . PHONE or TEL . EMAIL			
└ h17:informationRecipient		1 .. 1	R		CONF-BC0072
Included		0 .. *		from 2.16.840.1.113883.3.51.60.1.5.2 BC CDA Person (DYNAMIC)	
└ @classCode	cs	1 .. 1	F	PSN	CONF-BC0519
└ @determinerCode	cs	1 .. 1	F	INSTANCE	CONF-BC0519
└ h17:name	PN.CA	0 .. *	R		CONF-BC0100
	Constraint	assignedEntity/assignedPerson.name element SHALL conform to the constraints in the common section on names			
└ h17:receivedOrganization		0 .. 1			CONF-BC0080


Item	DT	Card	Conf	Description	Label
Included		0 ... *		from 2.16.840.1.113883.3.51.60.1.5.1 BC CDA Organization (DYNAMIC)	
└ @classCode	cs	1 ... 1	F	ORG	CONF-BC0533
└ @determinerCode	cs	1 ... 1	F	INSTANCE	
└ h17:id	II	0 ... *	R		CONF-BC0080
└ h17:name	ON	0 ... *	R		CONF-BC0534

4.2.20  Clinical Presentation Section 2.16.840.1.113883.3.1937.99.61.26.10.44 - 2016-12-17 06:21:40 (2.1)

Id	2.16.840.1.113883.3.1937.99.61.26.10.44	Effective Date	valid from 2016-12-17 06:21:40	
Status	 Draft	Version Label	2.1	
Name	ClinicalPresentationSection	Display Name	Clinical Presentation Section	
Description	This section records the patient's reason for the patient's visit (as documented by the provider). Local policy determines whether Reason for Visit and Chief Complaint are in separate or combined sections.			
Context	Parent nodes of template element with id 2.16.840.1.113883.3.1937.99.61.26.10.44			
Classification	CDA Section Level Template			
Open/Closed	Open (other than defined elements are allowed)			
Used by / Uses	Used by 1 template, Uses 0 templates			
	Used by Template id	as	Name	Version
	2.16.840.1.113883.3.51.60.2.5.1	Containment	 BC CDA ClinicalDocumentMedicalImaging	2016-10-09 02:16:30
Relationship	Specialization: template 2.16.840.1.113883.10.12.201 (2005-09-07)			
	Specialization: template 2.16.840.1.113883.10.20.22.2.12 (2015-08-13)			

Item	DT	Card	Conf	Description	Label
cda:section					(ClinicalPresentationSection)
└ cda:templateId	II	1 .. 1	M	SHALL contain exactly one [1..1] templateId (CONF:81-7836) such that it	CONF:81-7836
└ @root	uid	1 .. 1	F	2.16.840.1.113883.10.20.6.2.20	CONF:81-10448
				SHALL contain exactly one [1..1] @root="2.16.840.1.113883.10.20.6.2.20" (CONF:81-10448).	
└ cda:code	CE	1 .. 1	M	SHALL contain exactly one [1..1] code (CONF:81-15429).	CONF:81-15429
└ @code		1 .. 1	F	55108-5	
└ @codeSystem	CONF	1 .. 1	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
└ cda:title	ST	1 .. 1		SHALL contain exactly one [1..1] title (CONF:81-7838).	CONF:81-7838
└ cda:text	SD.TEXT	1 .. 1	M	SHALL contain exactly one [1..1] text (CONF:81-7839).	CONF:81-7839

4.2.21  Code Observations 2.16.840.1.113883.10.20.6.2.13 - 2016-12-15 06:10:04 (2.1)


Id	2.16.840.1.113883.10.20.6.2.13	Effective Date	valid from 2016-12-15 06:10:04
Status	 Draft	Version Label	2.1
Name	CodeObservations	Display Name	Code Observations
Description	DICOM Template 2000 specifies that Imaging Report Elements of Value Type Code are contained in sections. The Imaging Report Elements are inferred from Basic Diagnostic Imaging Report Observations that consist of image references and measurements (linear, area, volume, and numeric). Coded DICOM Imaging Report Elements in this context are mapped to CDA-coded observations that are section components and are related to the SOP Instance Observations (templateId 2.16.840.1.113883.10.20.6.2.8) or Quantity Measurement Observations (templateId 2.16.840.1.113883.10.20.6.2.14) by the SPRT (Support) act relationship.		
Context	Parent nodes of template element with id 2.16.840.1.113883.10.20.6.2.13		

Classification	CDA Entry Level Template												
Open/Closed	Open (other than defined elements are allowed)												
Used by / Uses	Used by 2 templates, Uses 2 templates												
	<table border="1"> <thead> <tr> <th>Used by Template id</th> <th>as</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>2.16.840.1.113883.10.20.6.1.2.1</td> <td>Containment</td> <td> BC MI Findings Section (1.1)</td> <td>2016-12-15 06:29:44</td> </tr> <tr> <td>2.16.840.1.113883.3.51.60.2.5.1 </td> <td></td> <td> BC CDA ClinicalDocumentMedicalImaging</td> <td>2016-10-09 02:16:30</td> </tr> </tbody> </table>	Used by Template id	as	Name	Version	2.16.840.1.113883.10.20.6.1.2.1	Containment	BC MI Findings Section (1.1)	2016-12-15 06:29:44	2.16.840.1.113883.3.51.60.2.5.1		BC CDA ClinicalDocumentMedicalImaging	2016-10-09 02:16:30
	Used by Template id	as	Name	Version									
	2.16.840.1.113883.10.20.6.1.2.1	Containment	BC MI Findings Section (1.1)	2016-12-15 06:29:44									
	2.16.840.1.113883.3.51.60.2.5.1		BC CDA ClinicalDocumentMedicalImaging	2016-10-09 02:16:30									
<table border="1"> <thead> <tr> <th>Uses Template id</th> <th>as</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>2.16.840.1.113883.10.20.6.2.8</td> <td>Containment</td> <td> SOP Instance Observation (2.1)</td> <td>2015-08-13</td> </tr> <tr> <td>2.16.840.1.113883.10.20.6.2.14</td> <td>Containment</td> <td> Quantity Measurement Observation (2.1)</td> <td>2015-08-13</td> </tr> </tbody> </table>	Uses Template id	as	Name	Version	2.16.840.1.113883.10.20.6.2.8	Containment	SOP Instance Observation (2.1)	2015-08-13	2.16.840.1.113883.10.20.6.2.14	Containment	Quantity Measurement Observation (2.1)	2015-08-13	
Uses Template id	as	Name	Version										
2.16.840.1.113883.10.20.6.2.8	Containment	SOP Instance Observation (2.1)	2015-08-13										
2.16.840.1.113883.10.20.6.2.14	Containment	Quantity Measurement Observation (2.1)	2015-08-13										
Relationship	Specialization: template 2.16.840.1.113883.10.12.303 (2005-09-07)												
	Specialization: template 2.16.840.1.113883.10.20.6.2.13 (2015-08-13)												

Item	DT	Card	Conf	Description	Label
<code>cda:observation</code>				Code Observations SHALL be rendered into section/text in separate paragraphs	(CodeObservations)
└ <code>@classCode</code>	cs	1 ... 1	F	OBS SHALL contain exactly one [1..1] <code>@classCode="OBS"</code> Observation (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:81-9304).	CONF:81-9304
└ <code>@moodCode</code>	cs	1 ... 1	F	EVN SHALL contain exactly one [1..1] <code>@moodCode="EVN"</code> Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001 STATIC) (CONF:81-9305).	CONF:81-9305
└ <code>cda:templateId</code>	II	1 ... 1	M	SHALL contain exactly one [1..1] <code>templateId</code> (CONF:81-15523).	CONF:81-15523
└ <code>@root</code>	uid	1 ... 1	F	2.16.840.1.113883.10.20.6.2.13	CONF:81-15524

Item	DT	Card	Conf	Description	Label
				This templateId SHALL contain exactly one [1..1] @root="2.16.840.1.113883.10.20.6.2.13" (CONF:81-15524).	
└ cda:code	CD	1 ... 1		SHALL contain exactly one [1..1] code (CONF:81-19181).	CONF:81-19181
└ cda:effectiveTime	IVL_TS	0 ... 1	R	SHOULD contain zero or one [0..1] effectiveTime (CONF:81-9309).	CONF:81-9309
└ cda:value		1 ... 1	M	SHALL contain exactly one [1..1] value (CONF:81-9308).	CONF:81-9308
└ cda:entryRelationship		0 ... *		Contains 2.16.840.1.113883.10.20.6.2.8 <i>SOP Instance Observation</i> (2015-08-13)	CONF:81-9311
where [cda:observation [cda:code/@codeSystem='1.2.840.10008.2.6.1'] [hl7:templateId [@root='2.16.840.1.113883.10.20.6.2.8']]]					
└ @typeCode	cs	1 ... 1	F	SPRT	CONF:81-9312
				SHALL contain exactly one [1..1] @typeCode="SPRT" Has Support (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002 STATIC) (CONF:81-9312).	
└ cda:entryRelationship		0 ... *		Contains 2.16.840.1.113883.10.20.6.2.14 <i>Quantity Measurement Observation</i> (2015-08-13)	CONF:81-9314
where [cda:observation [hl7:templateId [@root='2.16.840.1.113883.10.20.6.2.14']]]					
└ @typeCode	cs	1 ... 1	F	SPRT	CONF:81-9315
				SHALL contain exactly one [1..1] @typeCode="SPRT" Has Support (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002 STATIC) (CONF:81-9315).	

4.2.22  Complications Section 2.16.840.1.113883.10.20.22.2.37 - 2016-10-09 02:01:42 (1.1)



Id	2.16.840.1.113883.10.20.22.2.37	Effective Date	valid from 2016-10-09 02:01:42
Status	 Draft	Version Label	1.1

Name	ComplicationsSection	Display Name	Complications Section
Description	The Complications section records problems that occurred during the procedure or other activity. The complications may have been known risks or unanticipated problems.		
Context	Parent nodes of template element with id 2.16.840.1.113883.10.20.22.2.37		
Classification	CDA Section Level Template		
Open/Closed	Open (other than defined elements are allowed)		
Used by / Uses	Used by 1 template, Uses 1 template		
	Used by Template id	as	Name
	2.16.840.1.113883.3.51.60.2.5.1	Containment	BC CDA ClinicalDocumentMedicalImaging
	Uses Template id	as	Name
2.16.840.1.113883.10.20.22.4.4	Containment	Problem Observation (1.1)	
Relationship	Specialization: template 2.16.840.1.113883.10.20.22.2.37 (2013-01-31)		

Item	DT	Card	Conf	Description	Label
cda:section				There SHALL be a statement providing details of the complication(s) or it SHALL explicitly state there were no complications.	(ComplicationsSection)
└ cda:templateId	II	1 .. 1	M	SHALL contain exactly one [1..1] templateId (CONF:8174) such that it	conf-8174
└ @root	uid	1 .. 1	F	2.16.840.1.113883.10.20.22.2.37	conf-10384
└ cda:code	CE	1 .. 1	M	SHALL contain exactly one [1..1] code (CONF:15453).	conf-15453
└ @code	CONF	1 .. 1	F	55109-3	
└ @codeSystem		1 .. 1	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
└ cda:title	ST	1 .. 1	R	SHALL contain exactly one [1..1] title (CONF:8176).	conf-8176

Item	DT	Card	Conf	Description	Label
└ cda:text	SD.TEXT	1 ... 1	M	SHALL contain exactly one [1..1] text (CONF:8177).	conf-8177
└ cda:entry		0 ... *		Contains 2.16.840.1.113883.10.20.22.4.4 <i>Problem Observation</i> (2013-01-31)	conf-8795
where [cda:observation [hl7:templateId [@root='2.16.840.1.113883.10.20.22.4.4']]]					


4.2.23  Fetus Subject Context 2.16.840.1.113883.3.1937.99.61.26.10.41 - 2016-12-13 06:22:23 (2.1)


Id	2.16.840.1.113883.3.1937.99.61.26.10.41	Effective Date	valid from 2016-12-13 06:22:23
Status	 Draft	Version Label	2.1
Name	FetusSubjectContext	Display Name	Fetus Subject Context
Description	For reports on mothers and their fetus(es), information on a mother is mapped to recordTarget, PatientRole, and Patient. Information on the fetus is mapped to subject, relatedSubject, and SubjectPerson at the CDA section level. Both context information on the mother and fetus must be included in the document if observations on fetus(es) are contained in the document.		
Context	Parent nodes of template element with id 2.16.840.1.113883.3.1937.99.61.26.10.41		
Classification	CDA Section Level Template		
Open/Closed	Open (other than defined elements are allowed)		
Used by / Uses	Used by 1 template, Uses 0 templates		
	Used by Template id	as	Name
	2.16.840.1.113883.3.51.60.2.5.1	Containment 	BC CDA ClinicalDocumentMedicalImaging
Relationship	Specialization: template 2.16.840.1.113883.10.12.320 (2005-09-07)		
	Specialization: template 2.16.840.1.113883.10.20.6.2.3 (2015-08-13)		

Item	DT	Card	Conf	Description	Label
cda:section					(FetusSubjectContext)

Item	DT	Card	Conf	Description	Label
└ cda:templateId	II	1 ... 1	M	SHALL contain exactly one [1..1] templateId (CONF:81-9189) such that it	CONF:81-9189
└ @root	uid	1 ... 1	F	2.16.840.1.113883.10.20.6.2.3 SHALL contain exactly one [1..1] @root="2.16.840.1.113883.10.20.6.2.3" (CONF:81-10535).	CONF:81-10535
└ cda:code	CE	1 ... 1	M	SHALL contain exactly one [1..1] code (CONF:81-9190).	CONF:81-9190
└ @code		1 ... 1	F	121026	
└ @codeSystem	CONF	1 ... 1	F	1.2.840.10008.2.16.4 (DICOM Controlled Terminology)	
└ cda:subject		1 ... 1	M	SHALL contain exactly one [1..1] subject (CONF:81-9191).	CONF:81-9191
└ cda:name		1 ... 1	M	This subject SHALL contain exactly one [1..1] name (CONF:81-15347). The name element is used to store the DICOM fetus ID, typically a pseudonym such as fetus_1.	CONF:81-15347


4.2.24  Key Images Section 2.16.840.1.113883.3.1937.99.61.26.10.45 - 2016-12-17 06:23:36 (2.1)

Id	2.16.840.1.113883.3.1937.99.61.26.10.45	Effective Date	valid from 2016-12-17 06:23:36
Status	 Draft	Version Label	2.1
Name	KeyImagesSection	Display Name	Key Images Section
Description	This section records the patient's reason for the patient's visit (as documented by the provider). Local policy determines whether Reason for Visit and Chief Complaint are in separate or combined sections.		
Context	Parent nodes of template element with id 2.16.840.1.113883.3.1937.99.61.26.10.45		
Classification	CDA Section Level Template		
Open/Closed	Open (other than defined elements are allowed)		
Used by / Uses	Used by 1 template, Uses 0 templates		

Used by Template id	as	Name	Version
2.16.840.1.113883.3.51.60.2.5.1	Containment	 BC CDA ClinicalDocumentMedicalImaging	2016-10-09 02:16:30
Specialization: template 2.16.840.1.113883.10.12.201 (2005-09-07)			
Specialization: template 2.16.840.1.113883.10.20.22.2.12 (2015-08-13)			

Item	DT	Card	Conf	Description	Label
cda:section					(KeyImagesSection)
└ cda:templateId	II	1 .. 1	M	SHALL contain exactly one [1..1] templateId (CONF:81-7836) such that it	CONF:81-7836
└└ @root	uid	1 .. 1	F	2.16.840.1.113883.10.20.6.2.21	CONF:81-10448
				SHALL contain exactly one [1..1] @root="2.16.840.1.113883.10.20.22.2.12" (CONF:81-10448).	
└ cda:code	CE	1 .. 1	M	SHALL contain exactly one [1..1] code (CONF:81-15429).	CONF:81-15429
└└ @code		1 .. 1	F	55113-5	
└└ @codeSystem	CONF	1 .. 1	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
└ cda:title	ST	1 .. 1		SHALL contain exactly one [1..1] title (CONF:81-7838).	CONF:81-7838
└ cda:text	SD.TEXT	1 .. 1	M	SHALL contain exactly one [1..1] text (CONF:81-7839).	CONF:81-7839

4.2.25  Medical (General) History Section 2.16.840.1.113883.10.20.22.2.39 - 2016-10-09 02:22:53 (1.1)



Id	2.16.840.1.113883.10.20.22.2.39	Effective Date	valid from 2016-10-09 02:22:53
Status	 Draft	Version Label	1.1

Name	MedicalGeneralHistorySection	Display Name	Medical (General) History Section
Description	The Medical History section describes all aspects of the medical history of the patient even if not pertinent to the current procedure, and may include chief complaint, past medical history, social history, family history, surgical or procedure history, medication history, and other history information. The history may be limited to information pertinent to the current procedure or may be more comprehensive. The history may be reported as a collection of random clinical statements or it may be reported categorically. Categorical report formats may be divided into multiple subsections including Past Medical History, Social History.		
Context	Parent nodes of template element with id 2.16.840.1.113883.10.20.22.2.39		
Classification	CDA Section Level Template		
Open/Closed	Open (other than defined elements are allowed)		
Used by / Uses	Used by 1 template, Uses 0 templates		
	Used by Template id	as	Name
	2.16.840.1.113883.3.51.60.2.5.1	Containment	BC CDA ClinicalDocumentMedicalImaging
			2016-10-09 02:16:30
Relationship	Specialization: template 2.16.840.1.113883.10.20.22.2.39 (2013-01-31)		

Item	DT	Card	Conf	Description	Label
cda:section					(MedicalGeneralHistorySection)
└ cda:templateId	II	1 .. 1	M	SHALL contain exactly one [1..1] templateId (CONF:8160) such that it	conf-8160
└ @root	uid	1 .. 1	F	2.16.840.1.113883.10.20.22.2.39	conf-10403
└ cda:code	CE	1 .. 1	M	SHALL contain exactly one [1..1] code (CONF:15379).	conf-15379
└ @code		1 .. 1	F	11329-0	
└ @codeSystem	CONF	1 .. 1	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
└ cda:title	ST	1 .. 1	R	SHALL contain exactly one [1..1] title (CONF:8162).	conf-8162

Item	DT	Card	Conf	Description	Label
└ cda:text	SD.TEXT	1 ... 1	M	SHALL contain exactly one [1..1] text (CONF:8163).	conf-8163


4.2.26  Observer Context 2.16.840.1.113883.3.1937.99.61.26.10.42 - 2016-12-13 06:23:10 (2.1)

Id	2.16.840.1.113883.3.1937.99.61.26.10.42	Effective Date	valid from 2016-12-13 06:23:10
Status	 Draft	Version Label	2.1
Name	ObserverContext	Display Name	Observer Context
Description	The Observer Context is used to override the author specified in the CDA Header. It is valid as a direct child element of a section.		
Context	Parent nodes of template element with id 2.16.840.1.113883.3.1937.99.61.26.10.42		
Classification	CDA Section Level Template		
Open/Closed	Open (other than defined elements are allowed)		
Used by / Uses	Used by 1 template, Uses 0 templates		
	Used by Template id	as	Name
	2.16.840.1.113883.3.51.60.2.5.1	Containment 	BC CDA ClinicalDocumentMedicalImaging
			2016-10-09 02:16:30
Relationship	Specialization: template 2.16.840.1.113883.10.12.318 (2005-09-07)		
	Specialization: template 2.16.840.1.113883.10.20.6.2.4 (2015-08-13)		

Item	DT	Card	Conf	Description	Label
cda:section					(ObserverContext)
└ cda:templateId	II	1 ... 1	M	SHALL contain exactly one [1..1] templateId (CONF:81-9194) such that it	CONF:81-9194
└ @root	uid	1 ... 1	F	2.16.840.1.113883.10.20.6.2.4	CONF:81-10536
				SHALL contain exactly one [1..1] @root="2.16.840.1.113883.10.20.6.2.4" (CONF:81-10536).	

Item	DT	Card	Conf	Description	Label
└ cda:id	II	1 ... *		SHALL contain at least one [1..*] id (CONF:81-9196). The id element contains the author's id or the DICOM device observer UID	CONF:81-9196
Choice		1 ...		Either assignedPerson or assignedAuthoringDevice SHALL be present Elements to choose from: <ul style="list-style-type: none"> ▪ cda:assignedPerson ▪ cda:assignedAuthoringDevice 	
└ cda:assignedPerson					(ObserverContext)
└ cda:assignedAuthoringDevice					(ObserverContext)

4.2.27  Quantity Measurement Observation 2.16.840.1.113883.10.20.6.2.14 - 2016-12-15 06:11:48 (2.1)

Id	2.16.840.1.113883.10.20.6.2.14	Effective Date	valid from 2016-12-15 06:11:48 There are versions of templates with this id: <ul style="list-style-type: none"> ▪ QuantityMeasurementObservation as of 2016-12-15 06:11:48 ▪ QuantityMeasurementObservation as of 2015-08-13
Status	 Draft	Version Label	2.1
Name	QuantityMeasurementObservation	Display Name	Quantity Measurement Observation
Description	A Quantity Measurement Observation records quantity measurements based on image data such as linear, area, volume, and numeric measurements. The codes in DIRQuantityMeasurementTypeCodes (ValueSet: 2.16.840.1.113883.11.20.9.29) are from the qualifier hierarchy of SNOMED CT and are not valid for observation/code according to the Term Info guidelines. These codes can be used for backwards compatibility, but going forward, codes from the observable entity hierarchy will be requested and used.		
Context	Parent nodes of template element with id 2.16.840.1.113883.10.20.6.2.14		
Classification	CDA Entry Level Template		
Open/Closed	Open (other than defined elements are allowed)		
Used by / Uses	Used by 2 templates, Uses 1 template		

Used by Template id	as	Name	Version
2.16.840.1.113883.10.20.6.1.2.1	Containment	BC MI Findings Section (1.1)	2016-12-15 06:29:44
2.16.840.1.113883.3.51.60.2.5.1		BC CDA ClinicalDocumentMedicalImaging	2016-10-09 02:16:30
Uses Template id	as	Name	Version
2.16.840.1.113883.10.20.6.2.8	Containment	SOP Instance Observation (2.1)	2015-08-13

Relationship



Specialization: template 2.16.840.1.113883.10.12.303 (2005-09-07)

Specialization: template 2.16.840.1.113883.10.20.6.2.14 (2015-08-13)

Item	DT	Card	Conf	Description	Label
<code>cda:observation</code>					(QuantityMeasurementObservation)
└ <code>@classCode</code>	cs	1 .. 1	F	OBS SHALL contain exactly one [1..1] <code>@classCode="OBS"</code> Observation (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:81-9317).	CONF:81-9317
└ <code>@moodCode</code>	cs	1 .. 1	F	EVN SHALL contain exactly one [1..1] <code>@moodCode="EVN"</code> Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.1001 STATIC) (CONF:81-9318).	CONF:81-9318
└ <code>cda:templateId</code>	II	1 .. 1	M	SHALL contain exactly one [1..1] <code>templateId</code> (CONF:81-9319) such that it	CONF:81-9319
└ <code>@root</code>	uid	1 .. 1	F	2.16.840.1.113883.10.20.6.2.14 SHALL contain exactly one [1..1] <code>@root="2.16.840.1.113883.10.20.6.2.14"</code> (CONF:81-10532).	CONF:81-10532
└ <code>cda:code</code>	CD	1 .. 1		SHALL contain exactly one [1..1] <code>code</code> (CONF:81-9320). The value set of the observation/code includes numeric measurement types for linear dimensions, areas, volumes, and other numeric measurements. This value set is extensible and comprises the union of SNOMED codes for observable entities as reproduced in DIRQuantityMeasurementTypeCodes (ValueSet:	CONF:81-9320


Item	DT	Card	Conf	Description	Label
				2.16.840.1.113883.11.20.9.29) and DICOM Codes in DICOMQuantityMeasurementTypeCodes (ValueSet: 2.16.840.1.113883.11.20.9.30).	
└ cda:effectiveTime	IVL_TS	0 ... 1	R	SHOULD contain zero or one [0..1] effectiveTime (CONF:81-9326).	CONF:81-9326
└ cda:value	PQ	1 ... 1	M	SHALL contain exactly one [1..1] value with @xsi:type="PQ" (CONF:81-9324).	CONF:81-9324
└ cda:entryRelationship		0 ... *		Contains 2.16.840.1.113883.10.20.6.2.8 SOP Instance Observation (2015-08-13)	CONF:81-9327
where [cda:observation [cda:code/@codeSystem='1.2.840.10008.2.6.1'] [hl7:templateId [@root='2.16.840.1.113883.10.20.6.2.8']]]					
└ @typeCode	cs	1 ... 1	F	SPRT SHALL contain exactly one [1..1] @typeCode="SPRT" Has Support (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002 STATIC) (CONF:81-9328).	CONF:81-9328

4.2.28  Radiology Reason for Study Section 2.16.840.1.113883.3.1937.99.61.26.10.43 - 2016-12-17 06:18:21 (2.1)

Id	2.16.840.1.113883.3.1937.99.61.26.10.43	Effective Date	valid from 2016-12-17 06:18:21
Status	 Draft	Version Label	2.1
Name	RadiologyReasonforStudySection	Display Name	Radiology Reason for Study Section
Description	This section records the patient's reason for the patient's visit (as documented by the provider). Local policy determines whether Reason for Visit and Chief Complaint are in separate or combined sections.		
Context	Parent nodes of template element with id 2.16.840.1.113883.3.1937.99.61.26.10.43		
Classification	CDA Section Level Template		
Open/Closed	Open (other than defined elements are allowed)		
Used by / Uses	Used by 1 template, Uses 0 templates		
	Used by Template id	as	Name
	2.16.840.1.113883.3.51.60.2.5.1	Containment	 BC CDA ClinicalDocumentMedicalImaging
			Version
			2016-10-09 02:16:30

Relationship		Specialization: template 2.16.840.1.113883.10.12.201 (2005-09-07)			
		Specialization: template 2.16.840.1.113883.10.20.22.2.12 (2015-08-13)			
Item	DT	Card	Conf	Description	Label
cda:section					(RadiologyReasonforStudySection)
└ cda:templateId	II	1 .. 1	M	SHALL contain exactly one [1..1] templateId (CONF:81-7836) such that it	CONF:81-7836
└ @root	uid	1 .. 1	F	2.16.840.1.113883.10.20.6.2.22	CONF:81-10448
				SHALL contain exactly one [1..1] @root="2.16.840.1.113883.10.20.22.2.12" (CONF:81-10448).	
└ cda:code	CE	1 .. 1	M	SHALL contain exactly one [1..1] code (CONF:81-15429).	CONF:81-15429
└ @code		1 .. 1	F	18785-6	
└ @codeSystem	CONF	1 .. 1	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
└ cda:title	ST	1 .. 1		SHALL contain exactly one [1..1] title (CONF:81-7838).	CONF:81-7838
└ cda:text	SD.TEXT	1 .. 1	M	SHALL contain exactly one [1..1] text (CONF:81-7839).	CONF:81-7839

4.2.29  SOP Instance Observation 2.16.840.1.113883.10.20.6.2.8 - 2016-12-15 06:20:29 (2.1)

Id	2.16.840.1.113883.10.20.6.2.8	Effective Date	valid from 2016-12-15 06:20:29 There are versions of templates with this id: <ul style="list-style-type: none"> SOPInstanceObservation as of 2016-12-15 06:20:29 SOPInstanceObservation as of 2015-08-13
Status	 Draft	Version Label	2.1






Name	SOPInstanceObservation	Display Name	SOP Instance Observation
Description	A SOP Instance Observation contains the DICOM Service Object Pair (SOP) Instance information for referenced DICOM composite objects. The SOP Instance class is used to reference both image and non-image DICOM instances. The text attribute contains the DICOM WADO reference.		
Context	Parent nodes of template element with id 2.16.840.1.113883.10.20.6.2.8		
Classification	CDA Entry Level Template		
Open/Closed	Open (other than defined elements are allowed)		
Used by / Uses	Used by 2 templates, Uses 2 templates		
	Used by Template id	as	Name
	2.16.840.1.113883.10.20.6.1.2.1	Containment	BC MI Findings Section (1.1)
	2.16.840.1.113883.3.51.60.2.5.1		BC CDA ClinicalDocumentMedicalImaging
	Uses Template id	as	Name
2.16.840.1.113883.10.20.6.2.9	Containment	Purpose of Reference Observation (2.1)	
2.16.840.1.113883.10.20.6.2.10	Containment	Referenced Frames Observation (2.1)	
Relationship	Specialization: template 2.16.840.1.113883.10.12.303 (2005-09-07)		
	Specialization: template 2.16.840.1.113883.10.20.6.2.8 (2015-08-13)		


Item	DT	Card	Conf	Description	Label
<code>cda:observation</code>					(SOPInstanceObservation)
where [cda:code/@codeSystem='1.2.840.10008.2.6.1']					
└ @classCode	cs	1 .. 1	F	DGIMG	CONF:81-9240
				SHALL contain exactly one [1..1] @classCode="DGIMG" Diagnostic Image (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 STATIC) (CONF:81-9240).	
└ @moodCode	cs	1 .. 1	F	EVN	CONF:81-9241
				SHALL contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: ActMood urn:oid:2.16.840.1.113883.5.100 STATIC) (CONF:81-9241).	

Item	DT	Card	Conf	Description	Label
└ cda:templateId	II	1 ... 1	M	Note: this element was not in the C-CDA 2.1 specification but was present in the example and is normally present on every observation template. Considered this to be an inconsistency in the specification.	(SOPInstanceObservation)
└ @root	uid	1 ... 1	F	2.16.840.1.113883.10.20.6.2.8	
└ cda:id	II	1 ... *		SHALL contain at least one [1..*] id (CONF:81-9242). The @root contains an OID representing the DICOM SOP Instance UID	CONF:81-9242
└ cda:code		1 ... 1	M	SHALL contain exactly one [1..1] code (CONF:81-9244). a. This code SHALL contain exactly one [1..1] @code (CONF:81-19225). i. @code is an OID for a valid SOP class name UID (CONF:81-19226). b. This code SHALL contain exactly one [1..1] @codeSystem="1.2.840.10008.2.6.1" DCMUID (CONF:81-19227).	CONF:81-9244
└ @codeSystem	CONF	1 ... 1	F	1.2.840.10008.2.6.1 (DICOM UID)	
└ cda:text		0 ... 1	R	SHOULD contain zero or one [0..1] text (CONF:81-9246).	CONF:81-9246
└ @mediaType	st	1 ... 1	F	application/dicom The text, if present, SHALL contain exactly one [1..1] @mediaType="application/dicom" (CONF:81-9247).	CONF:81-9247
└ cda:reference		1 ... 1	M	The text, if present, SHALL contain exactly one [1..1] reference (CONF:81-9248).	CONF:81-9248
	Constraint	SHALL contain a @value that contains a WADO reference as a URI			
└ cda:effectiveTime		0 ... 1	R	SHOULD contain zero or one [0..1] effectiveTime (CONF:81-9250).	CONF:81-9250
└ @value		1 ... 1	R	The effectiveTime, if present, SHALL contain exactly one [1..1] @value (CONF:81-9251).	CONF:81-9251

Item	DT	Card	Conf	Description	Label
└ cda:low			NP		CONF:81-9252
				Constraint The effectiveTime, if present, SHALL NOT contain [0..0] low (CONF:81-9252).	
└ cda:high			NP		CONF:81-9253
				Constraint The effectiveTime, if present, SHALL NOT contain [0..0] high (CONF:81-9253).	
└ cda:entryRelationship		0 ... *		MAY contain zero or more [0..*] entryRelationship (CONF:81-9254) such that it	CONF:81-9254
└ @typeCode	cs	1 ... 1	F	SUBJ SHALL contain exactly one [1..1] @typeCode="SUBJ" Has Subject (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002 STATIC) (CONF:81-9255).	CONF:81-9255
└ cda:entryRelationship		0 ... *		Contains 2.16.840.1.113883.10.20.6.2.9 <i>Purpose of Reference Observation</i> (2015-08-13)	CONF:81-9257
where [cda:observation [hl7:templateId [@root='2.16.840.1.113883.10.20.6.2.9']]]					
└ @typeCode	cs	1 ... 1	F	RSON SHALL contain exactly one [1..1] @typeCode="RSON" Has Reason (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002 STATIC) (CONF:81-9258).	CONF:81-9258
└ cda:entryRelationship		0 ... *		Contains 2.16.840.1.113883.10.20.6.2.10 <i>Referenced Frames Observation</i> (2015-08-13)	CONF:81-9260
where [cda:observation [hl7:templateId [@root='2.16.840.1.113883.10.20.6.2.10']]]					
└ @typeCode	cs	1 ... 1	F	COMP SHALL contain exactly one [1..1] @typeCode="COMP" Has Component (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002 STATIC) (CONF:81-9261).	CONF:81-9261
				Constraint This entryRelationship SHALL be present if the referenced DICOM object is a multiframe object and the reference does not apply to all frames	

4.2.30  Text Observation 2.16.840.1.113883.10.20.6.2.12 - 2016-12-15 06:13:27 (2.1)


Id	2.16.840.1.113883.10.20.6.2.12	Effective Date	valid from 2016-12-15 06:13:27
Status	 Draft	Version Label	2.1
Name	TextObservation	Display Name	Text Observation
Description	DICOM Template 2000 specifies that Imaging Report Elements of Value Type Text are contained in sections. The Imaging Report Elements are inferred from Basic Diagnostic Imaging Report Observations that consist of image references and measurements (linear, area, volume, and numeric). Text DICOM Imaging Report Elements in this context are mapped to CDA text observations that are section components and are related to the SOP Instance Observations (templateId 2.16.840.1.113883.10.20.6.2.8) or Quantity Measurement Observations (templateId 2.16.840.1.113883.10.20.6.2.14) by the SPRT (Support) act relationship. A Text Observation is required if the findings in the section text are represented as inferred from SOP Instance Observations.		
Context	Parent nodes of template element with id 2.16.840.1.113883.10.20.6.2.12		
Classification	CDA Entry Level Template		
Open/Closed	Open (other than defined elements are allowed)		
Used by / Uses	Used by 2 templates, Uses 2 templates		
	Used by Template id	as	Name
	2.16.840.1.113883.10.20.6.1.2.1	Containment 	BC MI Findings Section (1.1)
	2.16.840.1.113883.3.51.60.2.5.1 		BC CDA ClinicalDocumentMedicalImaging
	Uses Template id	as	Name
2.16.840.1.113883.10.20.6.2.8	Containment 	SOP Instance Observation (2.1)	
2.16.840.1.113883.10.20.6.2.14	Containment 	Quantity Measurement Observation (2.1)	
Relationship	Specialization: template 2.16.840.1.113883.10.12.303 (2005-09-07)		
	Specialization: template 2.16.840.1.113883.10.20.6.2.12 (2015-08-13)		

Item	DT	Card	Conf	Description	Label
cda:observation					(TextObservation)
 @classCode	cs	1 ... 1	F	OBS	CONF:81-9288

Item	DT	Card	Conf	Description	Label						
└ @moodCode	cs	1 .. 1	F	SHALL contain exactly one [1..1] @classCode="OBS" Observation (CodeSystem: ActCode urn:oid:2.16.840.1.113883.5.4 STATIC) (CONF:81-9288). EVN	CONF:81-9289						
└ cda:templateId	II	1 .. 1	M	SHALL contain exactly one [1..1] templateId (CONF:81-9290) such that it	CONF:81-9290						
└ @root	uid	1 .. 1	F	2.16.840.1.113883.10.20.6.2.12 SHALL contain exactly one [1..1] @root="2.16.840.1.113883.10.20.6.2.12" (CONF:81-10534).	CONF:81-10534						
└ cda:code	CD	1 .. 1		SHALL contain exactly one [1..1] code (CONF:81-9291).	CONF:81-9291						
└ cda:text		0 .. 1		MAY contain zero or one [0..1] text (CONF:81-9295).	CONF:81-9295						
└ cda:reference		0 .. 1	R	The text, if present, SHOULD contain zero or one [0..1] reference (CONF:81-15938).	CONF:81-15938						
└ @value		0 .. 1		The reference, if present, SHOULD contain zero or one [0..1] @value (CONF:81-15939).	CONF:81-15939						
				<table border="1"> <tr> <td>role</td> <td>● error</td> </tr> <tr> <td>test</td> <td>not(@value) or starts-with(@value, '#')</td> </tr> <tr> <td>Message</td> <td>This reference/@value SHALL begin with a '#' and SHALL point to its corresponding narrative (using the approach defined in CDA Release 2, section 4.3.5.1)</td> </tr> </table>	role	● error	test	not(@value) or starts-with(@value, '#')	Message	This reference/@value SHALL begin with a '#' and SHALL point to its corresponding narrative (using the approach defined in CDA Release 2, section 4.3.5.1)	
role	● error										
test	not(@value) or starts-with(@value, '#')										
Message	This reference/@value SHALL begin with a '#' and SHALL point to its corresponding narrative (using the approach defined in CDA Release 2, section 4.3.5.1)										
└ cda:effectiveTime	IVL_TS	0 .. 1	R	SHOULD contain zero or one [0..1] effectiveTime (CONF:81-9294).	CONF:81-9294						
└ cda:value	ED	1 .. 1	M	SHALL contain exactly one [1..1] value with @xsi:type="ED" (CONF:81-9292).	CONF:81-9292						
└ cda:entryRelationship		0 .. *		Contains 2.16.840.1.113883.10.20.6.2.8 SOP Instance Observation (2015-08-13)	CONF:81-9298						

Item	DT	Card	Conf	Description	Label
where [cda:observation [cda:code/@codeSystem='1.2.840.10008.2.6.1'] [hl7:templateId [@root='2.16.840.1.113883.10.20.6.2.8']]]					
└ @typeCode	cs	1 .. 1	F	SPRT	CONF:81-9299
SHALL contain exactly one [1..1] @typeCode="SPRT" Has Support (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002 STATIC) (CONF:81-9299).					
└ cda:entryRelationship		0 .. *		Contains 2.16.840.1.113883.10.20.6.2.14 <i>Quantity Measurement Observation</i> (2015-08-13)	CONF:81-9301
where [cda:observation [hl7:templateId [@root='2.16.840.1.113883.10.20.6.2.14']]]					
└ @typeCode	cs	1 .. 1	F	SPRT	CONF:81-9302
SHALL contain exactly one [1..1] @typeCode="SPRT" Has Support (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002 STATIC) (CONF:81-9302).					

5 Publication for scenario

 This is a scenario publication: Medical Imaging Report

The publication is based on the following explicitly selected and/or dependent artefacts:

- Data Set 2.16.840.1.113883.3.1937.99.61.26.1.1 (CDA Pilot dataset)
- Scenario 2.16.840.1.113883.3.1937.99.61.26.3.4 (Medical Imaging Report)
- Transaction 2.16.840.1.113883.3.1937.99.61.26.4.8 (Medical Imaging Document)
- Transaction 2.16.840.1.113883.3.1937.99.61.26.4.9 (Medical Imaging Document)
- Template 2.16.840.1.113883.3.51.60.2.5.1